



Product Catalogue

Welcome to ELVEX®

ELVEX® Corporation has been providing quality safety equipment solutions to millions of workers for over 33 years. ELVEX® SA has been the sole agent in the whole of Africa for over 14 years. Our mission is to offer our customers the finest quality safety products with the best service support available in the industry. We treat our customers as long term partners - and strive to deliver every order with extraordinary speed, quality and accuracy.



We pride ourselves in providing reliable customer service with a personal touch. When you call ELVEX® you can be sure your call is answered by a knowledgeable and courteous safety professional.

With input from our valued customers, ELVEX® product development delivers a continuous flow of new and innovative problem-solving Personal Protective Equipment (PPE). We focus our solutions in safety eyewear, face and hearing protection.

A respected leader, ELVEX® serves a variety of industries including: mining, oil & gas, construction, power generation, chemical, pharmaceutical, aerospace and manufacturing.



We hope this catalogue will make your job easier in selecting the products best suited to your needs.

Advanced Technology, Innovation 100% Customer Satisfaction Guarantee

ELVEX® offers the most dynamic and user-focused line of Eye Protection for all your workers:

All our safety glasses have been tested to the ANSI Z87.1-2003 Standard and our Ballistic V₀ Rated safety glasses have also been tested to the US Military Standard MIL-PRF-31013

ANSI High Velocity vs V₀ Ballistic Test

Standard	Impact Speed and distance	Calibre / Size
ANSI Z87.1-2003 High Velocity	45 meters / second @ 5 meter	6.4mm steel ball 
Mil-PRF-31013 V ₀ Ballistic Test	195 meters / second @ 1 meter	3.8mm steel slug 



Superior Lens Technology Features:

Our polycarbonate lenses provide a number of features that are added during molding or in the coating process:

- **Impact resistance:** All ELVEX® safety glasses meet the high velocity impact requirements of ANSI Z87.1-2010 (+). Where noted, some of our lenses exceed the ANSI standard by four times where you see the Ballistic V₀ icon.
- **ELVEX® SuperCoat™ Anti-Fog Protection:** SuperCoat™ anti-fog coating provides long lasting, washable, anti-fog, anti-scratch and anti-static protection.
- **A scratch resistant hard coating:** We add scratch resistant hard coating to all ELVEX® safety glasses.
- **UV protection:** Our polycarbonate lenses provide UV protection (99.9%) between 180 and 380nm.
- **Indoor/Outdoor lens coating:** We've added additional UV absorbers and a light mirror coating to reduce glare and Visible Light Transmission, making our Indoor/Outdoor lenses ideal when moving from bright outdoor to indoor environments.
- **High UV and Blue Light:** We add these protective characteristics from special absorbers during the lens molding process to improve performance.
- **Weld Shades 1.4, 2, 3, & 5 lenses:** Our Weld Shade lenses have absorbers for the undesirable wavelengths and intensity of UV, Visible and IR light experienced when soldering, brazing, cutting or welding.



Table of Contents

ELVEX® Products

ELVEX® Lens Colours Applications, Key to Symbols, Performance & Applications.....	2-3
GoSpecs, Goggles.....	4-6
Acer (SG-12), TNT (SG-13), Xenon (SG-14)	7
TTS (SG-15), Trix (SG-17), XTS (SG-24)	8
Avion (SG-18), Avion Slim Fit (SG-18Slim), Challenger (SG-25)	9
BrowSpec (SG-31), Sphere-X Ultimate (SG-51), Reflect Spec (SG-53)	10
Denali (SG-56), Helium 18 (SG-59)	11
Metal Detectable Eyewear & Earplugs, Rimfire (SG-61)	12
Elite (SG-200), Sonoma (SG-350), Atom (SG-401)	13
Impact Ballistic Rated Sporty Range.....	14-15
Overspecs (SG-37, SG-57) and prescription ready frame (RXP-100)	16
Full Magnification and Bi-Focals (RX)	17-19
DeltaPlus Eye protection	20
Accessories and Stands.....	21-22
QuickSnap™ System Overview.....	23
Slot Adaptor, Visor Brackets, Electric Arc Face Shield	24
Faceshields, Headgear and Mesh Visors	25-26
Hearing Protection Basics.....	27
ValueMuff (HB-25), Maximuff (HB-35).....	28
SonicSlim Earmuffs (HB-10), UltraSonic Earmuffs (HB-650).....	29
Flatliner (HB-640), Quicksnap (HM-20, HM-80)	
Level Dependant Impulse Filter Earmuffs (Com-655)	30
Reuseable earplugs, Disposable earplugs, Gelpods	31-32

DeltaPlus Products

Hardhats, Harness, Chinstrap, Bumpcaps, Econocut Sleeves	33
Gloves	34-38
Gloves, Disposable Overalls (DT117,DT300).....	38
Freezer Jacket & Pants, Hi-Viz Jacket & Pants	39
Stonewashed Vest & Pants, Overall (2 Piece)	40
Overall (1 Piece), Panostyle Jacket & Pants, Parka Jacket	41
Rainsuits & Reflective Vest.....	42

Havalon Knives

Havalon Knives.....	43-44
---------------------	-------

Lens Performance and Tint Specifications

To better help you select the lens and tint that best fits your work conditions or application use, please see the chart below, which outlines the approximate performance characteristics of our numerous lens tint options, as well as application and performance benefits:

Lens Colour	UV Light Protection 180-380nm	High UV Protection 380-400nm	Blue Light Protection 400-480nm	Blue Light Protection 400-700nm	Infra Red Protection 780-1100nm	Visible Light Transmission (VLT)	Application/Benefit
Amber	99.9%	99.9%	85%	74%	12%	86%	Blocks blue light for applications where increased visual contrast is needed. Inspection/Quality Control, haze and fog.
Blue Flash Mirror	99.9%	98%	84%	83%	42%	23%	Great general purpose sun lens that reduces sun glare and intense sunlight for outdoor applications.
Brown	99.9%	98%	90%	88%	57%	23%	Great general purpose sun lens with 'blue blocking' properties to reduce outdoor haze and increase contrast.
Clear	99.9%	89%	6%	4%	8%	90%	General purpose impact protection for indoor and outdoor use.
Cobalt Blue	99.9%	99.9%	97%	97%	60%	0.2%	For furnace, foundry and high heat applications where reduction of intense red and orange glow is desired to view heated materials.
Copper Blue Blocker	100%	100%	96%	96%	55%	16%	Excellent for intense outdoor sun glare reduction with 'blue blocking' properties to reduce outdoor haze and increase contrast.
Gold Mirror	99.9%	99%	91%	90%	61%	14%	Excellent for intense outdoor sun glare reduction with 'blue blocking' properties to reduce outdoor haze and increase contrast.
Grey	99.9%	98%	76%	74%	45%	23%	General purpose sun lens that reduces sun glare and intense sunlight for outdoor applications.
Grey Polarized	99.9%	99.9%	89%	88%	12%	11%	Excellent for intense outdoor sun glare reduction around highly reflective surfaces. Outdoor water & snow activities.
Ice Blue	99.9%	86%	15%	13%	10%	66%	Reduces eyestrain and fatigue from high levels of yellow and sodium vapor lighting inside many plants.
Indoor / Outdoor	100%	100%	62%	55%	28%	50%	Provides 50% glare reduction for workers moving between indoor/outdoor lighting conditions.
Light Brown	99.9%	97%	72%	69%	38%	48%	Modest sun glare reduction with some 'blue blocking' properties to reduce outdoor haze and increase contrast.
Silver Mirror	99.9%	96%	77%	75%	43%	23%	Great general purpose sun lens that reduces sun glare and intense sunlight for outdoor applications.
Weld Shade 1.4	100%	98.7%	89.7%	81%	89%	65%	Excellent Welder's helper and torch soldering.
Weld Shade 2	100%	99.9%	98.7%	76%	93%	36%	Torch soldering and indirect exposure to light welding — welder's helper.
Weld Shade 3	100%	99.9%	99.6%	97.9%	94%	11%	Torch brazing and light gas cutting.
Weld Shade 5	100%	100%	99.9%	99.7%	98%	1.6%	Torch brazing and light gas welding and cutting.

Meets traffic signal colour recognition requirements of ANSI Z80.3-1996

Key to Symbols

These icons will help you understand the performance characteristics of ELVEX® safety glasses throughout the catalogue:

ANSI Z87.1-2010 (+) All ELVEX safety glasses meet the ANSI Z87.1 standard.	Ballistic V₀ rated Safety glasses that have been tested to the US Military standard MIL-PRF-31013 requirement of 640 feet per second.	CE EN166 The CE Mark on a product or machine identifies it as complying with all the of safety requirements established by the European Union.	Bifocal Denotes lenses that offer bifocal vision in numerous diopter strengths.	Full Magnification 50 mm full magnifying lens in various diopter strengths	SuperCoat™ Protection Our unique SuperCoat™ protection provides industry-leading washable anti-fog, anti-scratch, anti-static and UV protection to safety lenses.	Anti Fog Coating Our standard level of anti-fog protection to ensure improved performance in all conditions.	UV Protection Where noted, our safety glasses meet or exceed UV Standard 801.



Performance and Specifications

To better help you select the product that best fits your work conditions, please see the symbols below, which outlines the approximate performance characteristics of our product options as well as application and performance benefits:

RISKS



ANTISTATIC



HEAT



SHOCK



CUTTING /
PERFORATION



COLD WEATHER



BIOLOGICAL
CHEMICAL



WEARING



UV / IR



HIGH VIS

JOB



AGRICULTURE/
GREEN AREAS

Farmers / Woodcutters / Gardeners ...



CONSTRUCTION/CIVIL
ENGINEERING

Structural work / Construction



SECOND WORK/CRAFTSMAN

Electricians / Plumbers / Heating Specialists / Painters...



HEAVY INDUSTRY

Metal Construction / Petrochemical...



LIGHT INDUSTRY

Automotive / Aerospace / Industrial Subcontracting....



SERVICES / LOGISTICS

Logistics / Transportation / Airport / Distribution



HYGIENE ENVIRONMENT

Food Industry / Pharmacy / Hospitals / Restaurants /
Communities...



OIL / GAS

Petrochemical Industry / Refinery / Off Shore / Exploration
Pipelines



MINING

Mines (exploration, extraction...) Stone-pit



WIND ENERGY

Problem-Solving Protective Eyewear

When competitor's eyewear can't deliver the safety, comfort and functionality you need, count on ELVEX®. We can rapidly adapt or develop protective eyewear that solves your specific work site problems. And our hands-on approach means you'll get a timely response and customized solution. Here are some examples:

Get Goggle-like Protection in a Comfortable, Custom-fitting Spec

ELVEX® has become a category leader in the development of closed cell foam protection for dusty, dirty and windy environments - where airborne particulates pose a real threat to workers eyes. Our growing line of Go-Specs™ safety glasses provide a dynamic range of comfortable, goggle-like protection in a safety glass.

Foam Lined Go-Specs™ and Brow-Specs™ Safety Glasses: ELVEX® now has a deep line of industry leading models of EVA foam line and silicone line safety glasses that combines safety glass technology with "goggle-like" protection. The best combination of fit and protection you can get in a stylish lens!

GoSpecs TEC™

Soft, elastomer lining to provide an extra level of protection in wet vapor and dusty environments.

Keeps out wind, dust, sand or wet vapor

Soft TEP liner fills gap between face and lens.

Pantoscopic lens angle adjustments

Allows customized fit, greater comfort and protection.

Adjustable strap insures a snug fit

Flame retardant strap with adjustable buckle



GG-65CAF



Product No.

GG-65C-AF

Product Description

Soft TEP Lined Spectacle, Clear AF/PC Lens Black Frame with FR Strap

GoSpecs Pro™

Everything you love about GoSpecs™ Comfort, Fit and Protection, with Sunglass Style.

Elvex® GoSpecs Pro™ has the fit, comfort and looks like the expensive sunglasses you see on the street, but it is available at a fraction of the price. Like all GoSpecs™, it has foam that fills the gap around the eye socket for added protection against wind, dirt, dust and debris.

GoSpecs Pro™ is different in that it has a removable/replaceable foam carrier with very soft and conforming, flame resistant open cell foam for excellent protection, ventilation and comfort. The GoSpecs Pro™ can also be worn without the foam carrier when the additional protection is not required.



GG-55GAF



AVAILABLE LENS TINTS



Product No.

GG-55C-AF

GG-55G-AF

GG-55-BB50AF

Product Description

Soft Flame Resistant Foam Lined Spectacle, Clear AF/PC Lens Black Frame

Soft Flame Resistant Foam Lined Spectacle, Grey AF/PC Lens Black Frame

Soft Flame Resistant Foam Lined Spectacle, 50% BlueBlocker Lens Black Frame

AirSpecs™

Great for humid environments where nothing else keeps lenses from fogging up. The AirSpecs™ is designed with stainless steel mesh lens, which protects the eye socket from pokes and prods of stationary or low energy objects greater than 1mm in diameter.

The EVA closed cell foam seal on the AirSpecs™ provides a comfortable face seal, pantoscopic temples and elastic fabric strap for a secure fit in active environments.



GG-50



Product No.

GG-50

Product Description

Black Stainless Steel mesh "Lens", Black Frame with EVA Foam seal, Adjustable Elastic Fabric Strap

Go-Specs™

Simply the best fitting, most comfortable foam-lined eyewear available anywhere

Soft, foam fills gap between face and lens
Keeps out wind, dust, sand or airborne debris.

EVA closed-cell foam
Long lasting, resists body oil and sweat.

Multiple ventilation ports allow air circulation
Superior anti-fog performance and wearer comfort.

Pantoscopic lens angle adjustments
Allows a customized fit for greater comfort and protection.



GG-40C-AF

Pantoscopic adjustment



AVAILABLE LENS TINTS

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
GG-40A-AF	Black w/Orange Accent	Amber	Super Coat AF	Straight w/Pantoscopic Angle Adj.
GG-40C-AF	Black w/Orange Accent	Clear	Super Coat AF	Straight w/Pantoscopic Angle Adj.
GG-40G-AF	Black w/Orange Accent	Grey	Super Coat AF	Straight w/Pantoscopic Angle Adj.
GG-40WS2-AF	Black w/Orange Accent	Welding Shade 2	Super Coat AF	Straight w/Pantoscopic Angle Adj.
GG-40BB50-AF	Black w/Orange Accent	50% Blue Blocker	Super Coat AF	Straight w/Pantoscopic Angle Adj.

Go-Specs II™

Offers goggle "like" protection with excellent comfort, closer fit and a wide field of vision. Temples and FR elastic fabric strap included!

Keeps out wind, dust, sand or airborne debris
Soft, foam fills gap between face and lens.

Pantoscopic lens angle adjustments
Allows customized fit, greater comfort and protection.

Flame Retardant EVA

Closed cell foam Long lasting, resists body oil and sweat.

Deep ventilation channels on top and bottom Superior anti-fog performance and wearer comfort.

Flame Retardant foam on frame and elastic strap
Improved wearer safety.

Replaceable Lens Available-
Ballistic Rated lenses except for Weld Shade (meets ANSI).



GG-45C-AF



AVAILABLE LENS TINTS

Kits also Available

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
GG-45A-AF	Black w/Grey Accent	Amber	Super Coat AF	Straight w/Black Rubber Tips & Black FR Fabric Strap
GG-45C-AF	Black w/Grey Accent	Clear	Super Coat AF	Straight w/Black Rubber Tips & Black FR Fabric Strap
GG-45G-AF	Black w/Grey Accent	Grey	Super Coat AF	Straight w/Black Rubber Tips & Black FR Fabric Strap
GG-45WS3-AF	Black w/Grey Accent	Welding Shade 3	Super Coat AF	Straight w/Black Rubber Tips & Black FR Fabric Strap
GG-45WS5-AF	Black w/Grey Accent	Welding Shade 5	Super Coat AF	Straight w/Black Rubber Tips & Black FR Fabric Strap
GG-45A-AF-DCAMO	Digital Desert CAMO	Amber	Super Coat AF	Straight w/Black Rubber Tips & Black FR Fabric Strap
GG-45C-AF-DCAMO	Digital Desert CAMO	Clear	Super Coat AF	Straight w/Black Rubber Tips & Black FR Fabric Strap
GG-45G-AF-DCAMO	Digital Desert CAMO	Grey	Super Coat AF	Straight w/Black Rubber Tips & Black FR Fabric Strap
RL-45A-AF	Replacement Lens	Amber	Super Coat AF	-
RL-45C-AF	Replacement Lens	Clear	Super Coat AF	-
RL-45G-AF	Replacement Lens	Grey	Super Coat AF	-
RL-45WS3-AF	Replacement Lens	Welding Shade 3	Super Coat AF	-
RL-45WS5-AF	Replacement Lens	Welding Shade 5	Super Coat AF	-

Go-Specs III™

Lightweight and comfortable for all day use!

Ventilation channels and anti-fog coating
Gives improved anti-fog performance

Lightweight, wrap-around frame
Increases comfort and uninterrupted vision

EVA Closed cell foam
Is long lasting, resisting body oil and sweat



GG-16CAF



GG-15GAF



Product No. Product Description

GG-15C-AF	EVA Foam Lined Spectacle, Clear AF/PC Lens, Black/Yellow Temples
GG-15G-AF	EVA Foam Lined Spectacle, Clear AF/PC Lens, Black/Yellow Temples



GG-16CAF

Go-Specs IV™

Goggle-like Protection with Temple Slots and Ventilation Ports at a Value Price

We've made a new addition to our already popular Go-Specs™ product line, that provides you the comfort of a spectacle with goggle-like protection against particles, dust, wind and cold in indoor and outdoor environments and has been designed with side temple slots and ventilation ports that allows the air to flow through the safety glass for superior anti-fog performance and wearer comfort.



AVAILABLE LENS TINTS  

Product No.	Product Description
GG-16C-AF	EVA Foam Lined Spectacle, Clear AF/PC Lens, Grey Translucent Temples
GG-16G-AF	EVA Foam Lined Spectacle, Grey AF/PC Lens, Grey Translucent Temples

Goggles Visionaire™

Premium quality, high performance safety goggles for splash, dust and mist.

Improved Long Lasting SuperCoat™ Anti-Fog
Frame has four large indirect ventilation slots, as well as improved SuperCoat™ washable anti-fog coating, anti-scratch and anti-static protection.

Extreme comfort and broad field of vision
Extra wide face flange for comfort. Fits over most prescription eyewear.

Applications Dual lens is great for cold weather applications, Chemical splash, mist protection. ANSI D3, D4.

Comfortable fit Extra wide and comfortable elastic fabric strap for all day wear.



GG-30-AF



GG-30G-AF



AVAILABLE LENS TINTS  

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
GG-30-AF	Smoke	Clear	Super Coat AF	Extra wide Adjustable Fabric Strap
GG-30G-AF	Smoke	Grey	Super Coat AF	Extra wide Adjustable Fabric Strap



GG-25C-AF-SMOKE

Legionnaire™

Impact, splash, dust and mist resistant goggle

High value goggle
Great performance and value for the price.

Superior performance
Impact and splash resistant molded lens.
ANSI D3, D4.

Now with Improved Supercoat™ Anti-Fog Protection
Long lasting anti-fog washable coating, provides anti-scratch and anti-static protection too!

Comfortable wear
Eighteen indirect ventilation slots, top and bottom, and fits over prescription eyewear with ease.



AVAILABLE LENS TINTS 

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
GG-25C-AF-AS	Smoke	Clear	Super Coat AF	Wider Adjustable Fabric Strap w/o "D" Slides
GG-25C-AF-SMOKE	Smoke	Clear	Super Coat AF	Narrow Adjustable Fabric Strap w/o "D" Slides

Unitary Lens/Semi-Frame Acer™

Full coverage floating lens design;
highly functional and sophisticated!

Floating lens design

Allows frame to flex outward to fit broader range of face sizes.

Broad and soft rubber saddle nose piece

Greater comfort and impact protection, and reduces slipping.

Fashionable straight back flexible temples

Provide a comfortable fit.



SG-12-I/O-CAMO

Appeals to the "Outdoorsman"
in the workplace.



AVAILABLE LENS TINTS



SG-12G

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-12A	Graphite	Amber	Hard Coat	Straight
SG-12C	Graphite	Clear	Hard Coat	Straight
SG-12CAF	Graphite	Clear	Super Coat AF	Straight
SG-12G	Graphite	Grey	Hard Coat	Straight
SG-12GAF	Graphite	Grey	Super Coat AF	Straight
SG-12-I/O	Graphite	Indoor/Outdoor	Hard Coat	Straight
SG-12M	Graphite	Silver Mirror	Hard Coat	Straight
SG-12A-CAMO	Green Desert CAMO	Amber	Hard Coat	Straight
SG-12C-CAMO	Green Desert CAMO	Clear	Hard Coat	Straight
SG-12G-CAMO	Green Desert CAMO	Grey	Hard Coat	Straight
SG-12I/O-CAMO	Green Desert CAMO	Indoor/Outdoor	Hard Coat	Straight

TNT™

A dynamite economical
and popular safety glass!

Sleek contemporary design with 10 base curve

Tight wrap around one-piece lens offers full eye protection.

Ultra-lightweight

Weighs just 28 grams for all day comfort.

Soft, rubber temple tips

Minimizes slippage.



SG-13G



AVAILABLE LENS TINTS



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-13C	Black	Clear	Hard Coat	Straight w/Soft Grey Rubber Tips
SG-13C-AF	Black	Clear	Anti-Fog/Anti-Scratch	Straight w/Soft Grey Rubber Tips
SG-13G	Black	Grey	Hard Coat	Straight w/Soft Grey Rubber Tips
SG-13-I/O	Black	Indoor/Outdoor	Hard Coat	Straight w/Soft Grey Rubber Tips

Core Protective Eyewear/Unitary lens

Xenon™

Ultra lightweight makes these
ultra popular worldwide

So lightweight workers forget they are wearing them

Weighs just 22 grams for all day wear.

Superior comfort

Soft rubber nose bridge and colorful rubber temple
inserts make it easy to wear.



SG-14-I/O



AVAILABLE LENS TINTS



SG-14-B

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-14A	Amber	Amber	Hard Coat	Black Straight w/Yellow Soft Rubber Inserts
SG-14B	Ice Blue	Ice Blue	Hard Coat	Black Straight w/Blue Soft Rubber Inserts
SG-14C	Clear	Clear	Hard Coat	Black Straight w/Red Soft Rubber Inserts
SG-14C-AF	Clear	Clear	Anti-Fog/Anti-Scratch	Black Straight w/Red Soft Rubber Inserts
SG-14G	Grey	Grey	Hard Coat	Black Straight w/Red Soft Rubber Inserts
SG-14G-AF	Grey	Grey	Anti-Fog/Anti-Scratch	Black Straight w/Red Soft Rubber Inserts
SG-14-I/O	Indoor/Outdoor	Indoor/Outdoor	Hard Coat	Black Straight w/Red Soft Rubber Inserts
SG-14M	Blue Mirror	Blue Mirror	Hard Coat	Black Straight w/Red Soft Rubber Inserts

Basic Protective Eyewear

TTS™

Our most economically priced, lightweight safety glass

Economically styled unitary lens

Perfect for day laborers, tour groups or students.

Solid performing design with 10 base curve

Tight wrap around one-piece lens offers full eye protection.

Ultra lightweight

Weighs just 23 grams for all day comfort.



SG-15C



AVAILABLE LENS TINTS



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-15A	Amber	Amber	Hard Coat	Semi-Drop
SG-15C Bulk	Clear	Clear	Hard Coat	Semi-Drop
SG-15G-Bulk	Grey	Grey	Hard Coat	Semi-Drop
SG-15I/O	Indoor/Outdoor	Indoor/Outdoor	Hard Coat	Semi-Drop
SG-15M	Mirror	Mirror	Hard Coat	Semi-Drop

Trix™

Fashionable frameless design with ballistic protection at an economical price.

Ballistic protection

Provides higher level of protection for the user.

Stylish lightweight design

Unitary lens wraps around the head for great looks and weighs just 23 grams for comfort.

Rugged performance

Flexible Nylon temple construction retains shape.



SG-17G



AVAILABLE LENS TINTS



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-17C	Clear	Clear	Hard Coat	Blue Semi-Drop
SG-17C-AF	Clear	Clear	SuperCoat AF	Blue Semi-Drop
SG-17G	Grey	Grey	Hard Coat	Blue Semi-Drop
SG-17I/O	Indoor/Outdoor	Indoor/Outdoor	Hard Coat	Blue Semi-Drop
SG-17M	Silver Mirror	Silver Mirror	Hard Coat	Blue Semi-Drop

Premium Protective Eyewear Dual Lens/Semi-Frame

XTS™

XTS™ combines a sleek and sporty sunglass look with superior protection and great fit!

Sporty impact protection

Wraparound dual lens styling with Ballistic impact protection workers will want to wear.

Superior glare protection

Available in Polarized Polycarbonate lenses.

Available in striking colors

Black, Red and Sapphire blue high gloss frames.

Great comfort and fit

Soft, flexible rubber nose bridge for comfort and to prevent slippage.

Over molded temple tips

Provides flexibility and comfortable fit.



SG-24M-BLK



SG-24M



AVAILABLE LENS TINTS



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-24C	Slate Grey	Clear	Hard Coat	Straight back w/Black Rubber Inserts
SG-24C-AF	Slate Grey	Clear	Super Coat AF	Straight back w/Black Rubber Inserts
SG-24G	Slate Grey	Grey	Hard Coat	Straight back w/Black Rubber Inserts
SG-24G-AF	Glossy Sapphire	Grey	Super Coat AF	Straight back w/Black Rubber Inserts
SG-24I/O	Slate Grey	Indoor/Outdoor	Hard Coat	Straight back w/Black Rubber Inserts
SG-24M	Glossy Red Metallic	Silver Mirror	Hard Coat	Straight back w/Black Rubber Inserts
SG-24M-BLK	Glossy Black Frame	Silver Mirror	Hard Coat	Straight back w/Black Rubber Inserts
SG-24PL	Glossy Sapphire Frame	Grey Polarized	Hard Coat	Straight back w/Black Rubber Inserts

Core Protective Eyewear/Unitary lens

Avion™

Our "Flagship" unitary lens spectacle with premium comfort and performance.

Protection with a view

Wraparound uni-lens design offers full panoramic view and superior ballistic protection.

Soft, flexible nose bridge

Minimizes slippage and provides all day comfort.

Superior Anti-Fog Protection

Supercoat™ anti-fog washable coating is available in Clear and Grey lenses, and provides anti-scratch/anti-static protection too!

Soft, rubber temple tips

Keeps eyewear comfortable and secure.



SG-18I/O



SG-18G-AF-BLK



SG-18BR-LEOPARD



AVAILABLE LENS TINTS



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-18A	Amber	Amber	Hard Coat	Straight w/Grey Soft Rubber Tips
SG-18C	Clear	Clear	Hard Coat	Straight w/Grey Soft Rubber Tips
SG-18C-AF	Clear	Clear	SuperCoat AF	Straight w/Grey Soft Rubber Tips
SG-18C-BLK	Clear	Clear	Hard Coat	Straight w/Grey Soft Rubber Tips
SG-18G	Grey	Grey	Hard Coat	Straight w/Grey Soft Rubber Tips
SG-18G-AF	Grey	Grey	SuperCoat AF	Straight w/Grey Soft Rubber Tips
SG-18-I/O	Indoor/Outdoor	Indoor/Outdoor	Hard Coat	Straight w/Grey Soft Rubber Tips
SG-18BR-LEOPARD	Leopard	Brown	Hard Coat	Straight w/Grey Soft Rubber Tips
SG-18I/O-LEOPARD	Leopard	Indoor/Outdoor	Hard Coat	Straight w/Grey Soft Rubber Tips
SG-18A-LEOPARD	Leopard	Amber	Hard Coat	Straight w/Grey Soft Rubber Tips

Avion Slim Fit™

Slimmer design available to fit and protect more facial profiles

Ideal for slender or narrower facial profiles, frame 10 mm slimmer than the standard Avion™.

SG-18C-Slim-BLUE



SG-18C-Slim-PINK



SG-18G-Slim-BLK



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-18C-Slim-BLK	Clear	Clear	Hard Coat	Straight w/Black Soft Rubber Tips
SG-18C-Slim-BLUE	Clear	Clear	Hard Coat	Straight w/Blue Soft Rubber Tips
SG-18C-Slim-PINK	Clear	Clear	Hard Coat	Straight w/Pink Soft Rubber Tips
SG-18PK-Slim-PINK	Light Pink	Light Pink	Hard Coat	Straight w/Pink Soft Rubber Tips
SG-18C-AF-Slim-BLK	Clear	Clear	SuperCoat AF	Straight w/Black Soft Rubber Tips
SG-18G-AF-Slim-BLK	Grey	Grey	SuperCoat AF	Straight w/Black Soft Rubber Tips



AVAILABLE LENS TINTS



Unitary Lens/Semi-Frame

Challenger™

Classic safety protection and low cost make a great safety glass—and welders' first choice.

Workhorse welding glass

Challenger is an economical option for welding projects.

Adjustable drop temples

Fit behind ears and allow length adjustment to reduce slippage while working.

Universal nose bridge

Provides comfort and unobstructed vision.



SG-25WS5



AVAILABLE LENS TINTS



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-25WS3	Black	Welding Shade 3.0	Hard Coat	Drop w/Adjustable Length
SG-25WS5	Black	Welding Shade 5.0	Hard Coat	Drop w/Adjustable Length



SG-31CB-AF

SG-31G-AF



AVAILABLE LENS TINTS



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-31A-AF	Black/Orange Accent	Amber	SuperCoat AF	Straight Wrap
SG-31C-AF	Black/Orange Accent	Clear	SuperCoat AF	Straight Wrap
SG-31CB-AF	Black/Orange Accent	Cobalt Blue	SuperCoat AF	Straight Wrap
SG-31G-AF	Black/Orange Accent	Grey	SuperCoat AF	Straight Wrap
SG-31WS3-AF	Black/Orange Accent	Welding Shade 3.0	SuperCoat AF	Straight Wrap
SG-31WS5-AF	Black/Orange Accent	Welding Shade 5.0	SuperCoat AF	Straight Wrap
RX-31-Insert	Clear			

BrowSpecs™

Protects workers eyes from falling debris and dripping sweat.

Soft foam brow guard fills gap between brow & lens

Protects eyes from above falling debris.

Flame Retardant EVA Closed cell foam

Long lasting, resists body oil and sweat.

Wide frame with wraparound flexible temples

Secure comfortable fit for even wide faces.

Soft rubber nose bridge with flexible "fingers"

Conforms to shape of nose for more comfort, minimizes slipping.

Wraparound lens

Extra wide unobstructed field of vision.

RX lens insert (accessory)

For workers requiring vision correction.



SG-31WS3-AF w/RX-31-Insert

Sphere-X Ultimate™

Contemporary wraparound ballistic protection for harsh industrial environments

Unique frame with ventilation slots and SuperCoat™ lens

Allows air to vent, minimizes fogging.

Adjustable 4-length drop temples gently "hook" behind the ears

Reduces slipping during work activity; provides better protection, custom fit.

Copper/blue blocker sun lens reduces glare and blue light

Increases contrast and sharpens focus; easier for eye to focus in outdoor environments.

Soft, self-fitting rubber nose bridge Conforms to wide range of bridge sizes to enhance comfort and secure fit.



SG-51A



AVAILABLE LENS TINTS



SG-51BB

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-51A	Black Vented	Amber	Hard Coat	Drop w/Adjustable Lengths
SG-51BB	Black Vented	Copper Blue Blocker	Hard Coat	Drop w/Adjustable Lengths
SG-51Blue	Black Vented	Blue	Hard Coat	Drop w/Adjustable Lengths
SG-51C	Black Vented	Clear	Hard Coat	Drop w/Adjustable Lengths
SG-51C-AF	Black Vented	Clear	SuperCoat AF	Drop w/Adjustable Lengths
SG-51G	Black Vented	Grey	Hard Coat	Drop w/Adjustable Lengths
SG-51G-AF	Black Vented	Grey	SuperCoat AF	Drop w/Adjustable Lengths
SG-51-I/O	Black Vented	Indoor/Outdoor	Hard Coat	Drop w/Adjustable Lengths
SG-51M	Black Vented	Silver Mirror	Hard Coat	Drop w/Adjustable Lengths
SG-51WS1.4	Black Vented	Welding Shade 1.4	Hard Coat	Drop w/Adjustable Lengths

Reflect-Specs™

Ideal for night construction, utility workers, mining or airport workers.

High visibility yellow rubber tipped temples

Improves visibility, reduces slipping, enhances comfort. Adds another level of visibility and safety.

Economically priced

Added safety visibility that's affordable for all workers.

Super lightweight 24 gm. with a 10 base wrapped Polycarbonate lense

Greater comfort, compliance with an uninterrupted field of view.



SG-53-I/O



AVAILABLE LENS TINTS



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-53A	Amber	Amber	Hard Coat	Straight Hi Viz Yellow Temples w/Silver Reflective Panel
SG-53C	Clear	Clear	Hard Coat	Straight Hi Viz Yellow Temples w/Silver Reflective Panel
SG-53C-AF	Clear	Clear	Anti-Fog/Anti-Scratch	Straight Hi Viz Yellow Temples w/Silver Reflective Panel
SG-53-I/O	Indoor/Outdoor	Indoor/Outdoor	Hard Coat	Straight Hi Viz Yellow Temples w/Silver Reflective Panel
SG-53G-AF	Grey	Grey	Anti-Fog/Anti-Scratch	Straight Hi Viz Yellow Temples w/Silver Reflective Panel

Premium Protective Eyewear Unitary Lens/Semi-Frame

Denali™

Full Feature Protection Eyewear
with Lifetime Frame Warranty! Easy
Change Replacement Lenses...
Replace the Lens twice and Save 47%!

Pantoscopic angle adjustment

Allows for a comfortable and customizable fit.

Top vented rubber brow guard for added impact protection

Allows air to vent and reduces fogging.

Adjustable 3-length drop temples with rubber overlay

For better fit and slip resistance during work activity and greater comfort.

Easy to wear soft rubber nose bridge with soft flex fingers

Adjusts to nasal profile for better fit and reduced slippage.

Replaceable Lenses Available in All Lens Tints

Saves Money!



SG-56BB



DENALI KITS ALSO AVAILABLE!!

AVAILABLE LENS TINTS



RL-56GAF

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-56A	Black	Amber	Hard Coat	Adj. Length and Pantoscopic Angle
SG-56BB	Black	Blue Blocker	Hard Coat	Adj. Length and Pantoscopic Angle
SG-56C	Black	Clear	Hard Coat	Adj. Length and Pantoscopic Angle
SG-56C-AF	Black	Clear	SuperCoat AF	Adj. Length and Pantoscopic Angle
SG-56G-AF	Black	Grey	SuperCoat AF	Adj. Length and Pantoscopic Angle
SG-56I/O	Black	Indoor/Outdoor	Hard Coat	Adj. Length and Pantoscopic Angle
SG-56M	Black	Silver Mirror	Hard Coat	Adj. Length and Pantoscopic Angle
RL-56A	Replacement Lens	Amber	Hard Coat	-
RL-56BB	Replacement Lens	Blue Blocker	Hard Coat	-
RL-56C	Replacement Lens	Clear	Hard Coat	-
RL-56C-AF	Replacement Lens	Clear	SuperCoat AF	-
RL-56G-AF	Replacement Lens	Grey	SuperCoat AF	-
RL-56I/O	Replacement Lens	Indoor/Outdoor	Hard Coat	-
RL-56M	Replacement Lens	Silver Mirror	Hard Coat	-

Helium 18™

Extremely Comfortable, Secure and
Ultra-Light eyewear.

Super light

Weighs only 18 grams. Compliant Class 1 optics.

ErgoFit contour "drop" temples follow the shape of your head

Amazingly comfortable fit. Lies flat against the sides of your head for better fit with hearing protectors and other PPE.

Light, continuous pressure along the entire temple securely holds the frame in place for better non-slip compliance.

Contemporary rectangular semi-frame style

Looks great on all workers.

Ample universal nose bridge

For better fit and comfort.



SG-59BB50AF



SG-59GAF



ErgoFit™ Contour "drop" Temples
wrap behind and below ears



Also available:
Magnetic & X-Ray Detectable

AVAILABLE LENS TINTS



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-59C	Black	Clear	Hard Coat	Translucent Grey ErgoFit Temples
SG-59C-AF	Black	Clear	SuperCoat AF	Translucent Grey ErgoFit Temples
SG-59BB50-AF	Black	50% Copper Blue Blocker	SuperCoat AF	Translucent Grey ErgoFit Temples
SG-59G	Black	Grey	Hard Coat	Translucent Grey ErgoFit Temples
SG-59G-AF	Black	Grey	SuperCoat AF	Translucent Grey ErgoFit Temples

DetectSpec™ Magnetic & X-Ray Detectable Eyewear & Hearing protection

Ideal for Food and Pharmaceutical Industries Where Product Contamination Detection is Required.

The DetectSpec™ eyewear series offers three models! The Helium 15™ & Helium 18™ ultra-lightweight at 15g and 18g with ErgoFit™ metal detecting temples and the OVR-Spec™ III for over-the-glass solution. All models provide a comfortable fit and features' our exclusive Blue 80% VLT 'Indoor Tint' which offers a level of visual detectability while providing high VLT for use indoors in adequate lighting. Also, the lens features our exclusive SuperCoat™ long performance, washable anti-fog coating.

Helium15™ lightweight models are ideal for workers who don't like wearing heavy protective eyewear! The flat ErgoFit™ contouring temples are embedded with magnetic detecting properties and can be used with hearing protectors or other PPE simultaneously.

Rounding out the product line, the OVR-Spec™ III model offers a problem-solving solution for workers who wear prescription eyewear! With a ballistic rated lens, the OVR-Spec™ III lightweight frame design maintains a space between the RX and safety lens preventing rubbing or scratching.

For hearing metal detection and protection, the QUATTRO™ made in the U.S.A., is now available in a metal detectable earplug and cord! The ear plug and cord have been embedded with proprietary metal detecting flakes in a non-allergenic polymer for quick detection! Washable and reusable with no loss of comfort or effectiveness. Offers superior attenuation at 27 NRR/ 34 SNR.



Helium 15™



Helium 18™



Overspec III™



QUATTRO™



Product No.	Description
SG-57BMD-AF	Metal Detectable Blue 80% VLT, SuperCoat AF Lens
SG-58BMD-AF	Metal Detectable Blue 80% VLT SuperCoat AF Lens
SG-59BMD-AF	Metal Detectable Blue 80% VLT SuperCoat AF Lens
EP-416	Fully Metal Detectable Earplug

RimFire™ Premium Style...

Trending Style in Tactical
Sunglass frames with great fit and
ballistic performance.

Dual Lens

Tactical Sunglass Style to drive worker compliance.

Soft padded temples

Matte Black Frame colour with form fitting soft padded temples for a secure fit.

Proprietary FlexGrip nasal pads

For a comfortable non-slip fit.



SG-61BB50AF



SG-61GAF

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-61C	Matte Black	Clear	Hard Coat	Soft Black Temples
SG-61CAF	Matte Black	Clear	SuperCoat	Soft Black Temples
SG-61GAF	Matte Black	Grey	SuperCoat	Soft Black Temples
SG-61BB50AF	Matte Black	50% Copper Blue Blocker	SuperCoat	Soft Black Temples
SG-61PL	Matte Black	Polarized Grey	Hard Coat	Soft Black Temples



Helium 20™

Increase protective eyewear.
Designed to fit broader facial
profiles.

NEW!!

Weigh only 20grams

For all day comfort

ErgoFit temples

Fit the contour of your head for an amazingly comfortable, secure, non slip fit.

Extended lens coverage

For great protection and style.

Distortion-free wraparound polycarbonate lens

Offers superior peripheral vision and protections. Class 1 Optics.

New Copper Blue Blocker 50% VLT

Indoor/Outdoor tint which sharpens visual acuity and reduces eye fatigue.



SG-61GAF-White



SG-62GAF-Pink

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-62C	Black	Clear	Hard Coat	ErgoFit Temples
SG-62CAF	Black	Clear	SuperCoat	ErgoFit Temples
SG-62GAF	Black	Grey	SuperCoat	ErgoFit Temples
SG-62BB50AF	Black	50% Copper Blue Blocker	SuperCoat	ErgoFit Temples
SG-62GAFWhite	White	Grey	SuperCoat	ErgoFit Temples
SG-62CAFWhite	White	Clear	SuperCoat	ErgoFit Temples
SG-62GAFPink	Pink	Grey	SuperCoat	ErgoFit Temples
SG-62CAFPink	Pink	Clear	SuperCoat	ErgoFit Temples





Core Protective Eyewear Dual Lens/Semi-Frame

Elite™

High style design with wrap-around safety and incredible comfort

Proven user acceptance We took the same design of our popular bifocal safety glasses and applied it to a standard glass.

Comfortable fit Soft, large padded rubber saddle nose bridge makes for an easy wear.

Semi-frame design Fits a broader range of faces for greater comfort and safety.

Comfortable rubber insert temples
Reduces slipping.



SG-200C



AVAILABLE LENS TINTS ○ ● ● ●

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-200C	Transparent Grey	Clear	Hard Coat	Straight w/Black Rubber Insert
SG-200G	Black/Yellow	Grey	Hard Coat	Straight w/Yellow Rubber Insert
SG-200-I/O	Transparent Grey	Indoor/Outdoor	Hard Coat	Straight w/Black Rubber Insert

Dual Lens/Semi-Frame

Sonoma™

Sophisticated sunglass styling and all day comfort places the Sonoma™ at the top of the line!

High-end sunglass styling

Glossy and metallic frames that workers will like to wear at work or at play.

All day comfort and secure fit

Soft flexible nose pads and rubber temple tips fit like a dream.

Superior glare protection

Polarized polycarbonate lens available with classic glossy gunmetal-grey frame.

Also available in bifocal model

Ask for the RX-350™ for even better close working vision.



SG-350G



SG-350LB



AVAILABLE LENS TINTS ○ ● ● ● ● ●

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-350C	Glossy Metallic Bronze	Clear	Hard Coat	Straight w/Black soft Rubber Tips
SG-350C-GREY	Glossy Gunmetal Grey	Clear	Hard Coat	Straight w/Black soft Rubber Tips
SG-350G	Glossy Gunmetal Grey	Grey	Hard Coat	Straight w/Black soft Rubber Tips
SG-350LB	Glossy Metallic Bronze	Light Brown	Hard Coat	Straight w/Black soft Rubber Tips
SG-350M	Tortois	Gold Mirror	Hard Coat	Straight w/Black soft Rubber Tips
SG-350PL	Glossy Gunmetal-Grey	Grey Polarized	Hard Coat	Straight w/Black soft Rubber Tips

Atom™

Sleek, comfortable and affordable

All-day comfort Soft rubber nose bridge and flexible temple tips.

Very lightweight

Lightweight wrap style is easy to wear for long periods.

Rugged, stylish-shaped lens

10 base curve lens is also scratch resistant.



SG-401-I/O



SG-401-C



AVAILABLE LENS TINTS ○ ● ● ●

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-401C	Clear	Clear	Hard Coat	Grey w/black tips
SG-401C-AF	Clear	Clear	Anti-Fog/Anti-Scratch	Grey w/black tips
SG-401G	Grey	Grey	Hard Coat	Grey w/black tips
SG-401-I/O	Indoor/Outdoor	Indoor/Outdoor	Hard Coat	Grey w/black tips

IMPACT BALLISTIC RATED Sporty Safety Sunglasses



**RSG-101 Glossy Pearl White Frame
Sky Orange Mirror Lens**



**RSG-100 Glossy Black Frame
with Sky Blue Mirror Lens**



**RSG-200 Glossy Black Frame
with Sky Red Mirror Lens**



**RSG-201 Glossy Copper Frame
Sky Orange Mirror Lens**



**RSG-301 Glossy Black Frame
with Blue Blocker Lens
Angle Adjustable Temples and
Brow Pad for added protection**



**RSG-300 Glossy Black Frame
with Silver Mirror Lens
Angle Adjustable Temples and
Brow Pad for added protection**



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
RSG-100	Glossy Black	Sky Blue Mirror	Hard Coat	Glossy Black Temples
RSG-101	Glossy White	Sky Orange Mirror	Hard Coat	Glossy White Temples
RSG-200	Glossy Black	Sky Red Mirror	Hard Coat	Glossy Black Temples
RSG-201	Glossy Copper	Sky Orange Mirror	Hard Coat	Glossy Copper Temples
RSG-300	Glossy Black	Silver Mirror	Hard Coat	Glossy Black, Angle Adjustable Temples
RSG-301	Glossy Black	Copper Blue Blocker	SuperCoat	Glossy Black, Angle Adjustable Temples



NEW!!!
IMPACT BALLISTIC RATED
Sporty Safety Sunglasses



RSG-400 Mirror Copper Blue Blocker
HC/PC Lens, Gloss Black Frame
Soft black temple



RSG-401 Silver Mirror HC/PC Lens
Gloss Black Frame
Soft Green Temples



RSG-402 Polarized Grey HC/PC Lens
Matte Black Frame
Soft Black Temples



RSG-500 Mirror HC/PC Lens
Black CoreFlex Temples



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
RSG-400	Glossy Black	Mirror Copper Blue Blocker	Hard Coat	Soft Black Temples
RSG-401	Glossy Black	Silver Mirror	Hard Coat	Soft Green Temples
RSG-402	Matte Black	Polarized Grey	Hard Coat	Soft Black Temples
RSG-500	Black	Silver Mirror	Hard Coat	CoreFlex Temples

Over-the-Glass Protective Eyewear

We recognize that many customers have a need for over-the-glass protective eyewear, either for their employees who wear prescription glasses every day or plant and/or workplace visitors who must be protected.

OVR-Spec III™

Ultra-Lightweight and an Economical Solution for plant tours and worksite visitors.

**Available now!!
Magnetic & X-Ray Detectable**

Only 32 grams, ultra-lightweight OVR/over specs.

Fits over most medium sized prescription eyewear (up to 144mm). Economical glass that is ideal for use as visitor specs.

Adjustable length drop temples that "hook" behind the ears prevents slipping during work activity for better protection.

Frame design maintains a space between the prescription and safety lens,

Expensive prescription lenses do not rub or scratch each other.



SG-57C



SG-57BMD-AF



AVAILABLE LENS TINTS ☒ ☐ ☐

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-57C	Clear	Clear	Hard Coat	Drop Temple w/Adjustable Lengths
SG-57G	Grey	Grey	Hard Coat	Drop Temple w/Adjustable Lengths
SG-57BMD-AF * Metal Detectable Blue 80% VLT, SuperCoat AF Lens				

OVR-Spec II™

Our most stylish eye safety alternative for everyday use

Great protection with extended top, bottom and side shields

Ballistic rated safety glass with built-in side windows.

Sleeker design More contemporary styling, fits over most medium-sized prescription frames up to 145mm wide. Maintains a space between the RX and safety lens to avoid rubbing/scratching.

Superior comfort Self-adjusting nose bridge and rubber temple tips makes for great comfort.



SG-37C



SG-37A



AVAILABLE LENS TINTS ☒ ☐ ☐

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
SG-37A	Amber	Amber	Hard Coat	Straight w/Black Rubber Tips
SG-37C	Clear	Clear	Hard Coat	Straight w/Black Rubber Tips
SG-37G	Grey	Grey	Hard Coat	Straight w/Black Rubber Tips

NEW RXP-100™

Prescription Ready Safety Frame can be fitted with prescription safety lenses for individual vision correction.

Clear lens carrier

Accepts Prescription safety lenses and provides wraparound protection.

Maximum Protection

Removable Brow Cushion provides added protection from falling particles.

Pantoscopic lens angle adjustments

Allows a customized fit for greater comfort and protection.

CoreFlex Technology Nosepiece

Allows wearer to bend and shape the nosebridge for a comfortable customized fit.



Nosebridge with CoreFlex Technology provides a custom fit.

Clear 2.0 mm polycarbonate Plano lens with protective side shields



Pantoscopic angle adjustable temples



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
RXP-100	Black	Clear	Hard Coat	Black Pantoscopic angle adjustable temples

Bifocal Magnifying Protective Eyewear

ELVEX® recognised years ago that workers over age 40 often require additional help with close vision tasks while wearing safety glasses. That is why we were the first to develop bifocal safety glasses, and offer an expansive line for workers who need them or workers who perform delicate close-up tasks that require magnification.

Determine the reading power you need!

Determine smallest text that can be read with some difficulty from a distance of 356mm from the bridge of your nose.	Power needed
If you have difficulty reading this line, you need....	3.0
If you have difficulty reading this line, you need....	2.5
If you have difficulty reading this line, you need....	2.0
If you have difficulty reading this line, you need....	1.5
If you have difficulty reading this line, you need....	1.0

Full Magnifying Protective Eyewear

RX-500™

Another 'FIRST' for Elvex®! Patent Pending Full Lens Ballistic Rated Magnifier in a wraparound Polycarbonate lens!



RX-500



Over 50 mm diameter Magnifying lens

Reduces eye strain and fatigue by not having magnification or trying to focus through inconveniently placed bifocals.

Soft, flexible nose bridge and rubber temple tips

Minimizes slippage and provides all day comfort.

Ballistic protection

Provides higher level of protection for the user.

AVAILABLE LENS TINTS

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
RX-500C-0.5	Black	Clear	Hard Coat	Straight w/Grey Temple Tips
RX-500C-0.75	Black	Clear	Hard Coat	Straight w/Grey Temple Tips
RX-500C-1.0	Black	Clear	Hard Coat	Straight w/Grey Temple Tips
RX-500C-1.5	Black	Clear	Hard Coat	Straight w/Grey Temple Tips
RX-500C-2.0	Black	Clear	Hard Coat	Straight w/Grey Temple Tips

Bifocal Magnifying Protective Eyewear

RX Go-Specs™

Goggle-like safety glass available in bifocals with three diopter strengths!

High Performance Impact Resistance

High velocity impact resistant molded lens with SuperCoat™ anti-fog coating.

Superior All-Day Comfort

Soft and flexible EVA closed cell and angle adjustable temples make for great, comfortable fit.

Soft, foam fills gap between face and lens

Keeps out wind, dust, sand or airborne debris.

Pantoscopic lens angle adjustments

Allows a customized fit for greater comfort and protection.



RX-GG-40C-AF

Pantoscopic adjustment



AVAILABLE LENS TINTS



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
RX-GG-40C-AF-1.5	Black w/Orange Accent	Clear	Super Coat AF	Straight w/Pantoscopic Angle Adj.
RX-GG-40C-AF-2.0	Black w/Orange Accent	Clear	Super Coat AF	Straight w/Pantoscopic Angle Adj.
RX-GG-40C-AF-2.5	Black w/Orange Accent	Clear	Super Coat AF	Straight w/Pantoscopic Angle Adj.
RX-GG-40G-AF-1.5	Black w/Orange Accent	Grey	Super Coat AF	Straight w/Pantoscopic Angle Adj.
RX-GG-40G-AF-2.0	Black w/Orange Accent	Grey	Super Coat AF	Straight w/Pantoscopic Angle Adj.
RX-GG-40G-AF-2.5	Black w/Orange Accent	Grey	Super Coat AF	Straight w/Pantoscopic Angle Adj.

Bifocal Magnifying Protective Eyewear

RX-450TM

Offers Superior bifocal protection in a 10 base Wraparound lense

Lightweight

Weighs only 24 grams!

Superior wearability

Lightweight, super comfortable contoured temples that wrap around for better eye glass retention.

Comfortable rubber nose bridge

Soft self-fitting rubber nose bridge, minimizes slippage.



RX-450C



AVAILABLE LENS TINTS ☐

Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
RX-450C-1.5	Clear	Clear	Hard Coat	Grey Temples/Black Tips
RX-450C-2.0	Clear	Clear	Hard coat	Grey Temples/Black Tips
RX-450C-2.5	Clear	Clear	Hard Coat	Grey Temples/Black Tips

RX-401TM

Our stylish economy bifocal glass in a lighter weight and 5 diopter strengths.

Great field of vision

Molded, one-piece unitary lens design.

Superior wearability

Stylish lightweight frame with straight rubber tipped temples.

Comfortable rubber nose bridge

Makes wearing the glasses a breeze for long periods.



RX-401C



AVAILABLE LENS TINTS ☐ ☒ ☐



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
RX-401C-1.0	Clear	Clear	Hard Coat	Straight w/Black Tips
RX-401C-1.5	Clear	Clear	Hard coat	Straight w/Black Tips
RX-401C-2.0	Clear	Clear	Hard Coat	Straight w/Black Tips
RX-401C-2.5	Clear	Clear	Hard Coat	Straight w/Black Tips
RX-401C-3.0	Clear	Clear	Hard Coat	Straight w/Black Tips
RX-401A-1.0	Amber	Amber	Hard Coat	Straight w/Black Rubber Tips
RX-401A-1.5	Amber	Amber	Hard Coat	Straight w/Black Rubber Tips
RX-401A-2.0	Amber	Amber	Hard Coat	Straight w/Black Rubber Tips
RX-401A-2.5	Amber	Amber	Hard Coat	Straight w/Black Rubber Tips
RX-401A-3.0	Amber	Amber	Hard Coat	Straight w/Black Rubber Tips
RX-401G-1.0	Grey	Grey	Hard Coat	Straight w/Black Rubber Tips
RX-401G-1.5	Grey	Grey	Hard Coat	Straight w/Black Rubber Tips
RX-401G-2.0	Grey	Grey	Hard Coat	Straight w/Black Rubber Tips
RX-401G-2.5	Grey	Grey	Hard Coat	Straight w/Black Rubber Tips
RX-401G-3.0	Grey	Grey	Hard Coat	Straight w/Black Rubber Tips

RX-350™

A New Level of style and protection with anti-fog coating on all models.

Great contemporary design

Stylish Golden Brown frames in our stylish Sonoma™ frame style

All Models with Anti-fog lenses

Easy to wear

Soft rubber nose bridge and temple tips make for great comfort

Available in non-bifocal option

Also available as a normal safety glass (without bifocal) see product number SG-350



RX-350



RX-350BR



AVAILABLE LENS TINTS



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
RX-350BR-1.0	Glossy Metallic Bronze	Brown	Anti-fog/Anti Scratch	Straight w/Black soft Rubber Black Tips
RX-350BR-1.5	Glossy Metallic Bronze	Brown	Anti-fog/Anti Scratch	Straight w/Black soft Rubber Black Tips
RX-350BR-2.0	Glossy Metallic Bronze	Brown	Anti-fog/Anti Scratch	Straight w/Black soft Rubber Black Tips
RX-350BR-2.5	Glossy Metallic Bronze	Brown	Anti-fog/Anti Scratch	Straight w/Black soft Rubber Black Tips
RX-350BR-3.0	Glossy Metallic Bronze	Brown	Anti-fog/Anti Scratch	Straight w/Black soft Rubber Black Tips
RX-350C-1.0	Glossy Metallic Bronze	Clear	Anti-fog/Anti Scratch	Straight w/Black soft Rubber Black Tips
RX-350C-1.5	Glossy Metallic Bronze	Clear	Anti-fog/Anti Scratch	Straight w/Black soft Rubber Black Tips
RX-350C-2.0	Glossy Metallic Bronze	Clear	Anti-fog/Anti Scratch	Straight w/Black soft Rubber Black Tips
RX-350C-2.5	Glossy Metallic Bronze	Clear	Anti-fog/Anti Scratch	Straight w/Black soft Rubber Black Tips
RX-350C-3.0	Glossy Metallic Bronze	Clear	Anti-fog/Anti Scratch	Straight w/Black soft Rubber Black Tips

RX-300™

Contemporary wrap-around design offers close fit and comfortable protection.

Versatile design with contemporary style

Stylish, close-fitting, wrap-around design fits comfortably and performs even better.

All-day comfort Super-soft, flexible rubber nose pads and rubber temple inserts for comfort.



RX-300



AVAILABLE LENS TINTS



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
RX-300-1.0	Black	Clear	Hard Coat	Straight w/soft Rubber Blue Inserts
RX-300-1.5	Black	Clear	Hard Coat	Straight w/soft Rubber Blue Inserts
RX-300-2.0	Black	Clear	Hard Coat	Straight w/soft Rubber Blue Inserts
RX-300-2.5	Black	Clear	Hard Coat	Straight w/soft Rubber Blue Inserts
RX-300-3.0	Black	Clear	Hard Coat	Straight w/soft Rubber Blue Inserts
RX-300G-1.0	Black	Grey	Hard Coat	Straight w/soft Rubber Blue Inserts
RX-300G-1.5	Black	Grey	Hard Coat	Straight w/soft Rubber Blue Inserts
RX-300G-2.0	Black	Grey	Hard Coat	Straight w/soft Rubber Blue Inserts
RX-300G-2.5	Black	Grey	Hard Coat	Straight w/soft Rubber Blue Inserts
RX-300G-3.0	Black	Grey	Hard Coat	Straight w/soft Rubber Blue Inserts



RX-200™

Stylish, lightweight and comfortable wrap frame design.

Stylish contemporary design

Wrap design looks good and performs even better.

Maximum comfort

Soft rubber nose bridge and temple tips make for all-day comfort.

Now available in Grey lens tint

Even more style options with superior performance.



RX-200



AVAILABLE LENS TINTS



Product No.	Frame Colour	Lens Tint	Lens Coating	Temple Style
RX-200-1.0	Translucent Grey	Clear	Hard Coat	Translucent Grey w/Black Rubber Tips
RX-200-1.5	Translucent Grey	Clear	Hard Coat	Translucent Grey w/Black Rubber Tips
RX-200-2.0	Translucent Grey	Clear	Hard Coat	Translucent Grey w/Black Rubber Tips
RX-200-2.5	Translucent Grey	Clear	Hard Coat	Translucent Grey w/Black Rubber Tips
RX-200-3.0	Translucent Grey	Clear	Hard Coat	Translucent Grey w/Black Rubber Tips
RX-200G-1.0	Translucent Grey	Grey	Hard Coat	Translucent Grey w/Black Rubber Tips
RX-200G-1.5	Translucent Grey	Grey	Hard Coat	Translucent Grey w/Black Rubber Tips
RX-200G-2.0	Translucent Grey	Grey	Hard Coat	Translucent Grey w/Black Rubber Tips
RX-200G-2.5	Translucent Grey	Grey	Hard Coat	Translucent Grey w/Black Rubber Tips
RX-200G-3.0	Translucent Grey	Grey	Hard Coat	Translucent Grey w/Black Rubber Tips




KILIMANDJARO CLEAR



Clear
32g



Polycarbonate single lens glasses. Adjustable nylon arms. Side protection.



KILIMANDJARO SMOKE



Smoke
32g



Polycarbonate single lens glasses. Adjustable nylon arms. Side protection.




LIPARI2 T5



Shade 5
34g



Polycarbonate single lens glasses. Adjustable and tilting nylon arms. Spatula tips. Integrated TPE nose piece. Side protection.



PACAYA CLEAR LYVIZ



Clear
38g



Polycarbonate single lens glasses. Integrated polycarbonate nose piece. Adjustable and tilting nylon arms. Side protection.



GALERAS CLEAR



Clear
104g
Adjustable



Polycarbonate goggles. Indirect ventilation. Flexible PVC and nylon frame. Wide screen with non-reflecting effect. Adapted to wear with glasses and disposable respiratory half-masks. Wide elastic strap.

- Tilting elastic to fit better
- Marking (EN-166)
 - 1 = the best optical class
 - B = medium energy impact resistance
 - T = impact resistance at extreme temperature
 - 3 = liquid projections resistance
 - 4 = large dust particle resistance



GALERAS SMOKE



Smoke
104g
Adjustable



Polycarbonate goggles. Indirect ventilation. Flexible PVC and nylon frame. Wide screen with non-reflecting effect. Adapted to wear with glasses and disposable respiratory half-masks. Wide elastic strap.

- Tilting elastic to fit better
- Marking (EN-166)
 - 1 = the best optical class
 - B = medium energy impact resistance
 - T = impact resistance at extreme temperature
 - 3 = liquid projections resistance
 - 4 = large dust particle resistance



FILM GOGGLE



Clear
56g



Box of 10 sets of protective film to protect screens of goggles. Each set is made of 3 layers of films.


VULCANO2 CLEAR



Clear
26g



Polycarbonate single lens glasses. Adjustable and tilting nylon arms. Spatula tips. Integrated TPE nose piece. Side protection.




VULCANO2 SMOKE



Smoke
26g



Polycarbonate single lens glasses. Adjustable and tilting nylon arms. Spatula tips. Integrated TPE nose piece. Side protection.




EGON CLEAR



Clear
32g



Ergonomic glasses. Polycarbonate lens glasses. Sport look. Twin material arms. Extra comfort soft TPE nose piece.




EGON SMOKE



Clear
32g



Ergonomic glasses. Polycarbonate lens glasses. Sport look. Twin material arms. Extra comfort soft TPE nose piece.



SCREEN



Black
474g



Helmet for electric arc welding with self-obscuring screen. Can be used for MIG, MAG, TIG and plasma welding requiring DIN9 to DIN13 shade protection.

- Replaceable batteries (CR2032)
- High performance optical class
- Shade external adjustment





ELVEX Accessories

Purchase these items that will increase the longevity and help protect your safety eyewear.

Safety Glass Cords

Safety glass cords help keep your glasses securely at hand while working.



SGC-20



SGC-30



SGC-10-HIVIZ

Product No.	Product Description
SGC-10-HIVIZ	Safety Eyewear Cord w/Eyelet Attachment, HiViz Yellow
SGC-10-NARROW	Safety Eyewear Cord w/Eyelet Attachment, RED
SGC-20-BLUE	Safety Eyewear Cord, Wider Width, Adjustable Length, Blue
SGC-30-BLACK	Safety Eyewear Cord, Elastic Slip-On Construction, Adjustable Length, Black

Storage Cases & Bags

Storage bags help you protect your safety products and keep them at hand when they are needed.



SGB-100



SGB-5



SGB-10



SGB-22



SGB-30

Product No.	Product Description
SGB-5	Economy Microfiber Drawstring Eyewear Bag, Black
SGB-10	Foam Padded Nylon Eyewear Case, Zipper Closure, Belt Clip, Black
SGB-22	Oversized Nylon Eyewear Case, with inserts, Zipper Closure, Belt Clip, Black
SGB-30	Oversized Microfiber Eyewear Bag with Drawstring. Suitable for Goggles or Earmuffs, Black
SGB-100	Oversized Microfiber Faceshield Bag with Drawstring.


Lense Cleaner & Anti-fog Gel Spray

Compact pocket size bottles, includes a micro-fibre cloth and a pouch.

Lab Tested and safe to use on all materials.

Not harmful to eyes or skin and non flammable.

*Ultimate
Anti-Fog Gel
Lens Cleaning
Spray*



Product No.	Product Description
AF Gel	Elvex Anti-fog Gel, 30ml, with bag and cloth.
Lenscleaner	Elvex Lenscleaner, 30ml, with bag and cloth.

ELVEX LED Clip Light

Have a handsfree flashlight anytime!

360 degree swivel base

To point light where it is needed.

Super bright dual LED


Includes 3 alkaline batteries and lights for up to 6 hours continuously.

Durable Clip

Expands to 4mm wide.

Water Resistant Case


Weighs only 10g.



Product No.	Product Description
SGCL-1	Elvex Clip Light, Dual LED bulb, Swivel Base,

ELVEX Safety Glass Stands

Counter Stand



RSGD-12



SGD-24

Product No.	Product Description
RSGD-12	Safety Glass Counter Display Stand (12)
SGD-24	Safety Glass Floor Display Stand (24)

Add face and hearing protection to any hard hat with ELVEX® QuickSnap™ System in just four easy steps!



Step 1. Locate your hard hat brand in the Product Selection Chart.

- Step 2. Decide if you would like to add
- 1a) face shield protection only.
 - 1b) hearing protection only or both face & hearing protection.
 - 2a) Select slot adaptor blade based on hard hat choice from the chart. Continue to step 3 and 4.
 - 2b) Choose an ELVEX® Cap Mount Ear Muff, attach to safety cap choice using Bracket Arms with Quicksnap™ Slot Adaptor Blades from the chart.

Step 3. In the Visor Bracket column, select the correct ELVEX® Visor Bracket for your hard hat.

Step 4. Choose an ELVEX® Face Shield or Visor. All face shields attach to ELVEX® Visor Brackets with Slot Adaptors and allows them to flip up and stay up until needed.

Product Selection Chart for Step 2a and 3 - Face Protection only

Hard Hat Brand	2a. Slot Adaptor Blade		Visor Brackets	
Product Number	SA-29	SA-93	VB-10	VB-30
Bullard	X	X	X	
ERB		X	X	
Fibre Metal requires QS-29*	X	X	X	X
Jackson	X	X	X	
MSA V-Guard HDPE	X	X	X	
MSA V-Guard Advance	X	X		X
North A29	X	X		X
North A59/A69/A79	X	X	X	
Willson Alpha/Beta		X	X	
3M	X	X	X	

* QS-29 Quick Slot creates a slot on slotless caps


NOTE: Shaded X selections are the best fit. Others will also fit.

Slot Adaptor Blade & Visor Brackets

ELVEX® Visor Brackets (VB-10 and VB-30) are designed to permit mounting of our full face shield line to most major brands of safety caps and allows simultaneous use of cap mount ear muffs for hearing protection. Each model is designed to accommodate safety helmets with different beak lengths and angles. Our new VB-60 Visor Bracket is designed for non-conductive applications and has an overhead center position feature that balances and distributes the weight of the shield evenly. Attaches to most safety caps and slot-less safety caps.



VB-50



VB-30



VB-10

Product No.	Product Description
SA-29	Slot Adapter for Slotted Safety Caps*. For use with VB-10/30 Visor Bracket.
VB-10	Visor Bracket Mounts on Safety Caps, use with Elvex® Slot Adaptors or Elvex® Cap Mount Ear Muffs. Accepts Face shield or Visors. Now with wide brim.
VB-30	Visor Bracket for Safety Caps with Sloping Brim, use with an Elvex® Slot adaptor or Elvex® Cap Mount Ear Muffs. Accepts Face Shields or Visors.
VB-50	Aluminium Visor Bracket that directly attaches to most Safety Caps for High Temperature Applications. (Not for use with cap muffs)



SA-29

Face Shields for ARC FLASH Application

ELVEX® offers a range of specialty Face Shields for Arc Flash Hazards in extreme thermal energy conditions. Key benefits of ELVEX® ARC Shields and ARC Shield Kits:

- **Proprietary molded polycarbonate design with special spectral absorbers**
- **Industry-leading 1.98mm thickness for optimal thermal and impact protection**
- **Arc shields are ANSI Z87.1 Compliant**
- **Anti-Fog coating for long term anti-fog performance**
- **Light green shield tint provides excellent visible light transmission (VLT)**
- **All components tested and certified at Kinectrics High Current Laboratory**

Hazard/Risk Categories (HRC) 1 and 2. The minimum Arc Rating, or ATPV (Arc Thermal Performance Value) is shown in the table below.

NFPA 70E-2012 Hazard/Risk Categories with Head and Face Protection for category 1 and 2

Hazard/Risk Category	Arc Rated Head & Face Protection Required	Minimum ATPV in cal/cm2
1	ARC Shield, hard hat, balaclava, safety glasses, hearing protection	4
2	ARC Shield with Chin Protection, hard hat, balaclava, safety glasses, hearing protection	8



ELVEX® ArcFit 14™ Face Shield

The ArcFit 14™ is an all-new ARC face shield with an ASTM F2178 arc rating of 14 cal/cm² for use in NFPA 70E PPE Category 1 & 2 protection levels.

Chin Guard

New improved chin guard provides extended protection under the chin while allowing a greater range of head movement. Chin guard stays out of sight when in the lowered position.

VB-60 dielectric cap-attached visor bracket

When used with the Elvex® VB-60 dielectric cap-attached visor bracket it tilts up and out of sight in a balanced overhead position when not in use, for greater worker acceptance, comfort and mobility.

55% VLT (Visible Light Transmission)

Light green shield tint with 55% visible light transmission.

Anti-Scratch & Anti-Fog

The face shield is anti-scratch and anti-fog coated on both sides of the shield for longer service life and clear vision in temperature extremes.

Industry-leading thickness

1.98mm Thickness for optimal thermal and impact protection



VB-60

Product No.	Product Description
FS-20CPARC10	Arc Shield, Single layer, AF/PC. rated 14 cal/cm², Chin Guard

ELVEX® Face Shields: World Class Quality and Durability

ELVEX® offers a variety of face shield shapes and sizes, specialty coatings and absorbers to suit your specific work environment. Featuring a universal hole pattern, shields are designed to fit all ELVEX® headgear and visor brackets as well as most competitive headgear.

All face shields are ANSI Z87.1 Compliant

Polycarbonate (PC) is a non-proprietary high quality material with similar performance characteristics to Lexan®.

Hard Coatings (HC) are used to provide improved chemical and abrasive resistance. Hard coatings increase the useful work life of a face shield in some environments.

Anti-fog Coating is available on selected face shields, and may be required for some environments.

Universal Hole Pattern molded, die-cut universal hole pattern fits most competitors headgear options.

Economy Face Shield

Our most economical flat option with a 1mm thick shield is perfect for use with a broad spectrum of industry headgear. Acetate face shields are the best choice for chemical splash applications.

Product No.	Product Description
FS-15P	Clear Shield, 203mm x 394mm x 1mm, Flat PC

* Headgear (HG-25) Sold Separately.



FS-15P/HG-25

Molded Polycarbonate Face Shields

High Performance polycarbonate face shields in a variety of sizes and application types.

Product No.	Product Description
FS-12PC	Clear Shield 203mm x 305mm x 1.98mm Molded Aspherical PC
FS-15PC	Clear Shield 203mm x 394mm x 1.98mm Molded Aspherical PC
FS-16PC	Clear Shield 203mm x 406mm x 1.98mm Molded Aspherical PC

* Headgear (HG-25) Sold Separately.



FS-12PC



FS-15PC



Aspherical design allows optimal freedom of movement in all directions.
FS-16PC with headgear shown.



FS-16PC/HG-25

Premium Molded Lexan® Face Shields

Lexan® (trademark of SABIC IP), is a superior quality, optical grade, highly impact resistant and heat tolerant material (up to 129°C), with limited scratch resistance.

Lexan® offers UV absorption characteristics 99% between 180-380 nm.

Our premium Lexan® face shields offer optimal performance in a variety of sizes and application types.

Product No.	Product Description
FS-15L	Clear Shield, 203mm x 394mm x 1.98mm, Molded Cylinder Lexan® PC
FS-18L	Clear Shield, 254mm x 470mm x 1.98mm, Molded Cylinder Lexan® PC
FS-18L-CP	Clear Shield, 254mm x 470mm x 1.98mm, Molded Cylinder Lexan® PC with chin protector
FS-18LG	Green Shield, 254mm x 470mm x 1.98mm, Molded Cylinder Lexan® PC



FS-18L-CP

Lexan® is a Trademark of SABIC Innovative Plastics IP BV



FS-15L



FS-18LG



FS-18L

Molded Specialty Face Shields

Gold Coated Molded face shield is made from green Lexan Polycarbonate and coated with a reflective gold coating for heat resistance and a top layer hard coating for Scratch resistance. It has a heat resistance of approximately 982 °C.

Dark green, molded polycarbonate face shield has infra red absorbers for welding. Welding Shade 5.



FS-18-GL



FS-15WS5
with HG-25

Product No.	Product Description
FS-18-GL	Gold Coated Shield, 254mm x 470mm x 1.98mm, Molded Cylinder Lexan® AF/PC (Heat Resistance approx. 982 °C)
FS-15WS5	Green Welding Shade 5, 203mm x 394mm x 1.98mm, Molded Cylinder HC/PC

UltiMate™ Headgear System

When you need quality Head Gear to hold Face Shields, Visors and Mesh Screens, ELVEX® has the solution. **UltiMate™** HG-25 and HG-35 are the perfect platform for metal and process industries, power generation, manufacturing, forestry and other industrial uses.

Tight, hugging suspension

Fits comfortably for all-day wear with two swivel points on rear neck band to provide a secure, hugging fit.

Fully compatible design fits most face shields

Universal pattern swivel locks accommodate hole patterns on most brands of face shields.

Comfortable wear all day

Soft fabric brow and neck pad.

Fits more heads

Ratchet adjusts for head circumference and suspension has pin-lock adjustment for head height.

HG-25



HG-35

Product No.	Product Description
HG-25 UltiMate	Ratchet Headgear w/Fabric Sweatband, 5 Swivel Locks, Blue
HG-35 UltiMate	Ratchet Headgear w/Oversized Heat Tolerant Brow Guard, Fabric Sweatband, 5 Swivel locks, Black
Headgear / Face Shield Systems	
HG-70	Headgear w/Steel Mesh Screen
HG-80	Headgear w/PC Shield

Mesh Screens

Elvex® Mesh Screens provide great protection from flying particles and debris with maximum ventilation.

The Nylon Mesh Screen is great for outdoor applications

For hot, humid environments where ventilation is a requirement. Lightweight and durable. This convenience shield does not meet ANSI requirements.

Steel mesh screens

Offers impact resistance and is intended to deflect flying objects. Meets ANSI Z87.1 standard.

Note: ANSI Z87.1 standard requires separate eye protection, suitable for the situation and application.



SV-70



SV-70

Product No.	Product Description
SV-70	Steel Mesh Forestry Screen for VB-10, 184mm X 330mm
NV-70	Nylon Mesh Visor

Smart solutions. Incredible value.



Smart fold-out muffs rest on your shoulders — ready to put on when re-entering a high-noise area.

This ELVEX® exclusive, worker-friendly feature allows Ear Muffs to sit comfortably on your shoulders when not in use. Workers are more productive because they can keep them handy for intermittent use. Smart fold-out models include: ValueMuff™ and MaxiMuff™

Ear muffs specifically designed to fit under safety caps.

These low-profile cap mount muffs have an exclusive “cut-out” design, or indentation at the top, so they fit perfectly under Safety Caps. Rugged, durable construction. Add them to virtually any cap in seconds!



Unique low profile “cut-out” to nest under rim of caps

Soft, washable, reusable plugs that offer high level of comfort and performance, yet low life cycle cost.

Patented Quattro™ Ear plugs feature firm handles for quick, easy insertion/removal and improved hygienic handling. Four comfort-curved flanges with ultrasoft polymers put more material in contact with ear canal for custom fit and 27 NRR performance. Made in USA. U.S. Military national stock numbers assigned (NSN).

Hearing Protection Basics

Can you hear me now?

Continuous exposure to high noise levels without proper protection will cause your workers irreversible hearing loss. Understanding and communicating the critical nature of these risks is the key to an effective workplace hearing safety program. Here are some facts to help you get started.

OSHA says 90 dB per day, max!

OSHA permissible noise exposure is established at 90dB for an 8-hour work day. However, many industrial companies limit noise exposure based on the following guidelines:

NOISE LEVEL EXPOSURE

Noise Level	Duration
85dB -	8 hours
88dB -	4 hours
91dB -	2 hours
94dB -	1 hour
97dB -	30 minutes
100dB -	15 minutes
121dB -	only 7 seconds

COMMON PAINFUL AND HAZARDOUS NOISE

PAINFUL Noise Level	Example
160 dB -	Explosions from blasting
140 dB -	Jet engine take off
130 dB -	Jack hammer
120 dB -	Fire Engine siren
HAZARDOUS Noise Levels Example	
110dB -	Table saw, rock drill
100 dB -	Pneumatic drill, chain saw
90 dB -	Machine shop tools, grinder

Important Selection Considerations

- When selecting ear muffs, NIOSH recommends derating ear muff NRR ratings by 25%
- When selecting ear plugs, NIOSH recommends derating muff plug ratings by 50 to 75%
- When doubling up, using ear plugs and muffs, the National Hearing Conservation Association states that 5 NRR is added to the muff rating.

Dielectric Muffs with Smart Fold Out Feature

ValueMuff™

Lightweight and economical with virtually indestructible headband.

Exclusive ELVEX® “smart fold-out” design
Muffs fold-out and rest comfortably around neck when not in use.

Virtually indestructible headband
Comfortable, yet tough and long-lasting.

Rugged, fully Dielectric construction
Protects workers from electrical shocks and shorts.

Multi-position use with or without optional Support Strap
For compatibility when worn with other PPE.

Soft, pliable SuperSeal™ Ear cushions are long lasting and resist body oil and sweat Provide all-day comfort.

Self-aligning suspension
Easily adjustable headband for quick fitting.



HB-25



Smart fold-out design



Optional Support Strap

25 NRR (ANSI) and 28 SNR (CE)
Protection Level: 99—109 dB

Product No.	Product Description
HB-25	ValueMuff, Dielectric, Multi-Position, 222g, Blue/Black SNR 28, NRR 25
HB-35HB	Replacement Headband for HB-25/35
SS-25	Support Strap for ValueMuff and MaxiMuff

MaxiMuff™

High-performance, rugged and worker-friendly

Exclusive ELVEX® “smart fold-out” design
Ear muffs fold-out and rest comfortably around neck when not in use.

Cushioned, virtually indestructible headband
Comfortable, yet tough and long-lasting.

Rugged, fully Dielectric construction
Protects workers from electrical shocks and shorts.

Multi-position use with or without optional Support Strap
For compatibility when worn with other PPE.

Self-aligning suspension Easily adjusts ear muffs on headband for quick fitting.

Soft, pliable SuperSeal™ Ear Cushions are long lasting and resist body oil and sweat
Provide all-day comfort.



HB-35



Smart fold-out design



Optional Support Strap

28 NRR (ANSI) and 30 SNR (CE)
Protection Level: 101—111 dB

Product No.	Product Description
HB-35	MaxiMuff, Dielectric, Multi-Position, 278g, Black/Red SNR 30, NRR 28
HB-35HB	Replacement Headband for HB-25/35
SS-25	Support Strap for ValueMuff and MaxiMuff

Slim Profile and Ultra-Lightweight Ear Muff

SonicSlim™

Ultra-thin, ultra-light, foldable.

Excellent in confined spaces

Low profile design with premium, padded headband for added comfort

Thin enough to fit comfortably in tight, confining work environment.

Folds to less than 127 mm wide

Compact and easy to store in small bag or drawer.

Lightweight, contemporary design

Weighs only 230 grams but delivers 21 NRR performance — with style.

Soft Ear Cushions are long lasting and resist body oil and sweat

Provides all-day comfort.

21 NRR (ANSI)

Protection Level: 96—106 dB

26NRR when used with earplugs



HB-10-Slim Camo



HB-10-Slim Muddy Girl



HB-10-Slim

Product No.

HB-10-Slim

HB-10-Slim Muddy Girl

Product Description

Sonic Slim Low Profile Foldable Muff, 230g, Black, NRR 21

Sonic Slim Low Profile Foldable Muff, 230g, Pink Camo, NRR 21

Ultra-Lightweight Ear Muffs - 20% Lower Headband Pressure

UltraSonic™

Our most comfortable
high attenuation Muff - lighter
than competitive models.

Ultra-Lightweight Ear Muffs — 20% Lower Headband Pressure

29 dB Certified NRR to ANSI S3.19-1974

Superb full spectrum attenuation and superb low frequency attenuation.

Extra wide Ear Cushions and a soft padded Head cushion

Provide highest level of all-day comfort.

Low force, fork-type stainless steel headband

Provides the lowest and most consistent pressure on the wearer's head at all temperatures.

29 NRR (ANSI) and 34 SNR (CE)

Protection Level: 102—112 dB



HB-650



HB-550

Product No.

HB-650

HB-550

Product Description

UltraSonic Muff, Stainless Steel Headband, Wide Ear Cushions, 272g, Black, SNR 34

UltraSonic Muff, Wide Ear Cushions, Steel Headband, 296g, Black, NRR 27

Ultra-Lightweight Ear Muffs - 20% Lower Headband Pressure Flat-Liner™

Ideal choice for night time work, construction, airports and public works environments!

Hi-Viz color

Where an increase in visibility is required.

Ultra-Lightweight Ear Muffs— weighs only 232 grams

20% Lower Headband Pressure

Offers highest level of all-day comfort.

Maximizes Speech Communication

in moderate noise environments.

Extra wide ear cushions and a soft padded head cushion

Provide highest level of all-day comfort.

Low force, fork-type stainless steel headband

Provides the lowest and most consistent pressure on the wearer's head at all temperatures.



26 NRR (ANSI) and 32 SNR (CE)
Protection Level: 99—109 dB

HB-640Y

Product No.	Product Description
HB-640Y	Flat-Liner Muff, Stainless Steel Headband, 230g, Hi Viz Yellow/Black, SNR 32, NRR 26

ELVEX® QuickSnap™ Ear Muffs mount on most Safety Caps

ELVEX® is the Solution to Combining Head, Face and Hearing Protection

Because Hearing Protection is often incompatible with other Safety Equipment, workers can encounter problems when wearing add-on Muffs simultaneously, until now. ELVEX® QuickSnap System is the solution — and the most functional system available.

Features

- **Highest NRR rating for cap muff available, 28 NRR.**
- **Choice of NRR levels: 25 - 28. SNR 29 - 31**
- **Universal blade fits most slotted safety caps.**
- **Dielectric construction.**
- **Integrates with variety of face shields, visors and screens.**
- **Can also be attached to non-slotted caps using ELVEX® Quick Slot QS-29.**



ELVEX® QuickSnap™ Ear Muffs have a unique low profile "cut-out" to nest under rim of caps

HM-20



HM-20-HIVIZ

Product No.	Product Description	Protection Level
HM-20**	Low Profile Ear Muff, 230g, Grey, NRR 25, SNR 29	99-109 dB
HM-2093Y	Low Profile Ear Muff, 230g, Hi-Viz Yellow, NRR 25, SNR 29	99-109 dB
HM-80**	Low Profile Ear Muff, 230g, NRR 28, Grey	101-111dB

Level Dependent Impulse™ Filter Muffs

Listen to conversations and filter out harmful noise!

Electronically amplifies weak sounds/voices, suppresses impulse noise

exceeding 82 dB Allows close range communications in continuous or impulse noise environments: like stamping factories and shooting ranges.

Affordable high-quality adjustable Electronics and Microphones

Provide excellent sound quality and performance No "choppy sounds".

3.5 mm Audio Jack for listen-only capability Connects to most Audio devices like Smart phones, MP3 players or Radios to allow workers to hear both auxiliary audio device and environment.

Auto-off switch turns unit off after 4 hours, in case you forget

Extends battery life, only 2 x AA batteries provide about 175 hours of operation.

Comfortable padded Headband with low pressure and soft Ear Cushions

Provides high level of comfort for long periods.

Low force, fork-type stainless steel headband

Provides the lowest and most consistent pressure on the wearer's head at all temperatures.

Lightweight design

Provides comfort over long periods.



COM-655

25 NRR (ANSI)
Protection Level: 99—109 dB

Product No.	Product Description
COM-655	Level Dependent, Impulse Filter, Input Jack, AAA Batteries, 364g, Grey, 82dB limiter, NRR 25

Available in cap mount version

SPA 3



Blue-Black
26g



Ear defenders with polystyrene (PS) and synthetic foam cups.
ABS headband, adjustable in height. Low pressure pads.

CE **EN-352-1**
SNR 28 dB
H30 M27 L17

SUZUKA 2



Fluorescent
yellow /
Black
254g



Ear defenders for safety helmets. Adjustable in height.
High flexibility ABS arms and cups.
Cups padded with synthetic foam.

CE **EN-352-3**
SNR 27 dB
H29 M25 L18



YAS MARINA



Grey-Orange
312g



Foldable ear defenders with ABS cups. Pads filled with synthetic foam. Double plastic headband (POM), adjustable in height, with foam reinforcement for a better comfort.

- Double headband for more flexibility
- Tool to carry ear defenders on belt
- Bag included

CE **EN-352-1**
SNR 32 dB
H33 M31 L25

Quattro™ Ear Plugs

Available in 4 different Colours!!

Reusable plugs use patented design to deliver superior fit and comfort, easy insertion/removal and hygienic handling.

Contoured 4-Flange, ultra-soft polymer design puts more material in contact with Ear Canal

Delivers all-day comfort and superior attenuation

Built-in, firm handle allows user to direct the angle of insertion, adapting to each ear canal

Insertion and removal is easy and much more hygienic than rolling down foam plugs.

Washable, reuse for weeks with no loss of comfort or effectiveness

Lower life-cycle costs and increased economy.

Universal size, self-contours to fit virtually any shape of ear canal

Accommodates diverse workforce to simplify inventory control.

Advanced non-allergenic polymer material Non-irritating, resistant to ear wax and body oils; outlasts PVC ear plugs.

Five versions available Corded, un-corded, poly-bagged, plastic case with key-chain, metal detectable.



EP-411Green



EP-411Orange



EP-411Blue



EP-411Magenta



EP-412

Elvex Quattro Metal Detectable Ear Plugs NOW AVAILABLE!!



EP-416

Product No.	Product Description
EP-411Blue	Reusable Corded (woven nylon Cord) Ear Plug, Blue, SNR 34
EP-411Green	Reusable Corded (woven nylon Cord) Ear Plug, Green, SNR 34
EP-411Orange	Reusable Corded (woven nylon Cord) Ear Plug, Orange, SNR 32
EP-411Magenta	Reusable Corded (woven nylon Cord) Ear Plug, Magenta, SNR 32
EP-412	Reusable Corded (woven nylon Cord) Ear Plug, Blue, Green, Magenta, Orange w/Case & Chain, SNR 32
EP-416	Reusable Metal Detectable Ear Plug and Cord, Blue, SNR34

Uni-Fit™ Disposable Foam Ear Plugs

Soft, tapered, slow-expanding disposable foam earplugs offer easier insertion and better performance (32 NRR) than leading brands.

Universal size correctly fits virtually any ear canal

Accommodates diverse workforce to simplify inventory control.

Slow expansion Polyurethane Foam that's softer, comfortable and easier to insert Improves user ability to achieve correct fit and benefit from excellent attenuation.

Tapered shape with longer, thinner tip Easy to insert with adequate length to correctly insert and remove plug.

Smooth surface and low pressure foam Provides extremely high comfort level.

Choice of work-friendly, refillable dispensers for uncorded plugs Encourages compliance and saves space.

High visibility orange color in corded and uncorded plugs Easy to see and monitor worker compliance.

Available corded and uncorded in easy-to-use dispenser box



EP-151



EP-153



EPD-500

32 NRR (ANSI) and 37 SNR (CE)
Protection Level: 96—106 dB

Product No.	Product Description
EP-151	Uncorded Disposable Foam Ear Plug, Orange, SNR 37, NRR 32
EP-151-BULK	Uncorded Disposable Ear Plug, Orange, Refill for Dispenser, SNR 37, NRR 32
EP-153	Corded (PVC Cord) Disposable Ear Plug, Orange, SNR 37, NRR 32
EPD-500	Uncorded Disposable Ear Plug Dispenser (Filled), orange, SNR 37, NRR 32

TriSonic™ Reusable Ear Plugs

Soft, flexible 3-flange earplugs is comfortable for all day wear with easy insertion and removal.

Built-in firm handle

Allows user to direct the angle of insertion, adapting to each ear canal.

Contoured 3 Flange design

Puts more material in contact with ear canal and provides all-day comfort.

Non-Allergenic TPR material

Is non-irritating, resistant to ear wax and body oils, outlasts PVC ear plugs. Wash and reuse for weeks without losing its attenuation and effectiveness.

Universal size

Self-contours to fit virtually any shape of ear canal, accommodates diverse workforce.



25 NRR (ANSI) and 30 SNR (CE)

Product No.	Product Description
EP-311OR	Corded Reusable Ear Plug, Woven Nylon Cord, 25 NRR/30SNR, 100 Pairs per Box
EP-312OR	Corded Reusable Ear Plug w/Plastic Clear Clip Case, 50 Pairs per Box

BLUE™ Disposable Foam Ear Plugs

Soft, slow-expanding earplugs offer easier insertion and better performance than leading brands

Contoured bell-shape foam with slow expansion rate inserts easily

Improves user ability to achieve correct fit and benefit from excellent attenuation while flange reduces possibility of too deep insertion.

Soft low pressure polyurethane foam with smooth surface Provides all-day comfort to improve worker compliance.

Universal size correctly fits virtually any ear canal Simplifies inventory control and accommodates diverse workforce.

High visibility bright blue Easy to monitor and enforce proper ear plug usage.

Available corded and uncorded in easy-to-use dispenser box

32 NRR (ANSI) and 34 SNR (CE)

Protection Level: 96—106 dB



Product No.	Product Description
EP-251	Uncorded disposable Foam Ear plugs, Blue, SNR 34, NRR 32
EP-253	Corded (PVC Cord) Disposable Foam Ear Plugs, Blue, SNR 34, NRR 32

GelPods™ & GelCaps™ Banded

Best intermittent hearing protection for noisy environments - tops for convenience and comfort

Designed to be worn around neck when not in use Workers are never without hearing protection.

Insert or remove quickly – even with one hand Quick and convenient - for workers requiring intermittent hearing protection.

Alternative for workers who dislike inserting ear plugs or heat buildup of muffs

Two design options to offer individualized comfort, workers choose most comfortable style.

Excellent sound reduction in the low and high frequencies

Effective hearing protection in noisy environments.

Attenuation in the speech frequencies is flat

Allows worker-to-worker communication in noisy areas.

Highly visible protection Easy to monitor and enforce worker compliance.


Ultra-soft material, 3x softer than reusable silicone ear plugs Provides highest comfort level.

Universal size

Simplifies inventory control and accommodates diverse workforce.

Use for intermittent noise applications

Outdoor airport workers, fork-lift operators, building contractors, power sources.



GelPods: 23 NRR (ANSI) and 23 SNR (CE)

Protection Level: 92—102 dB

GelCaps: 18 NRR (ANSI) and 22 SNR (CE)

Protection Level: 89—99 dB

Product No.	Product Description
GC-20	GelCaps , Banded Canal Caps, Blue Band/ Turquoise Caps, SNR 23, NRR 32
GC-21	Replacement GelCaps for GC-20, Turquoise
GP-10	GelPods , Banded Ear Pods, Blue Band/Orange Pods, SNR 22, NRR 18
GP-11	Replacement GelPods for GP-10, Orange

BASEBALL DIAMOND V



White
Orange
Yellow
390g
Adjustable



ABS safety helmet. Innovative "baseball cap" shape to improve vision when looking up. Also tested for front back wearing, to reduce encumbrance. Polyamide cradle: 3 textile straps with 8 fixing points. Foam sweat band. Innovative button adjustment "colour to colour" for head size 53 to 63 cm. 2 possible positions of the headband (top/low) for better comfort. Electrical insulation up to 1000 V.A.C or 1500 V.D.C.

- Button for easy adjustment
- Fluorescent colours and silver band for high visibility
- Also tested for front-to-back wear for improved vision
- Very curved visor for higher vertical vision

CE **EN-397**
MM
LD
- 30°C + 50°C
440VAC
EN-50365
CLASS 0

HARNESS V



Black

Bag of 10 spare harnesses for BASEBALL DIAMOND safety helmet. Textile lining, foam sweat band, adjustment with button.

DYNAMIC JUGALPHA



Black
Adjustable

Bag of 10 chin straps. 4 Fixing points for work at height. Safety-breaking system. Suitable for BASEBALL DIAMOND safety helmets.

AIR COLTAN



Fluorescent
Yellow
Black / Red
200g
Adjustable
Peak - 7cm



Impact resistant baseball style bump cap. Highly ventilated polyester/Cotton with mesh fabric. Lined with polyethylene and comfortable EVA foam shell to absorb shocks. Adjustable size by buckle 55/62 cm.

- Rear adjustment
- Bi-material
- Polyethylene shell with 18 holes
- Highly ventilated Mesh fabric

CE **EN-812**

ECONOCUT5M



White - Black
One Size



ECONOCUT® high performance fibre. Knitted sleeve with thumbhole. Length 55 cm. Gauge 13. Bag of 1 pair.

CE **EN-388**
4 X 4 X D
ANSI **ANSI-ISEA 105**
A4

VENICUT41GN



Grey

7 / 8 / 9 /
10 / 11



SOFTnucut® high performance fibre. Nitrile Coating on palm and fingertips. Reinforcement between the thumb and index finger. Gauge 13.

Reinforcement between the thumb and index finger

- For better longevity



EN-388
4 X 4 4 C

ANSI ANSI-ISEA 105
A3

VENICUT52



Yellow-Black

7 / 8 / 9 / 10



TAEKI® 5 High performance polyethylene fibre. Latex coating on palm and fingertips. Gauge 10.

Latex Coating

- Good abrasion resistance
- Anti slip rough texture
- Excellent grip

TAEKI® 5 high performance polyethylene:

- Excellent Cut resistance
- Maximum abrasion performance



EN-388 2016
4 X 4 3 D

EN-388
4 5 4 2

EN-407
X 2 X
X X X

ANSI ANSI-ISEA 105
A4

VENICUT54BL



Royal Blue -
Black

8 / 9 / 10 / 11



DELTAAnocut®+ high performance fibre. Double nitrile coating. Gauge 13.

Double nitrile coating to work in oil environments

- First smooth nitrile coating: Oil permeability
- Second foam nitrile coating: Good grip

3/4 Coating:

- Increased protection of fingers
- Protection against oils
- Strength at joints
- Long lifespan



EN-388
4 X 4 4 D

ANSI ANSI-ISEA 105
A4

VECUT57G3



Grey -
Black

7 / 8 / 9 / 10



ECONOCUT® high performance fibre. Nitrile coating on palm and fingertips. Gauge 13. Bag of 3 pairs.



EN-388
4 X 4 4 D

ANSI ANSI-ISEA 105
A4

VENICUT58G3



Grey

7 / 8 / 9 / 10



ECONOCUT® high performance fibre. Polyurethane coating on palm and fingertips. Gauge 13. Bag of 3 pairs.



EN-388
4 X 4 3 D



EN-388
4 5 4 3
ANSI-ISEA 105
A4

VE713



Black

7 / 8 / 9 / 10



100% Polyamide. Double nitrile coating on palm, fingers and half back. Gauge 13.

3/4 Nitrile Coating

- Increased protection of fingers
- Protection against oils
- Strength at joints
- Long lifespan

Double Coating:

- A hardwearing nitrile layer
- A breathable nitrile layer
- Abrasion resistance
- Oils' protection
- Breathability



EN-388
4 1 2 1

VE702GR



Grey

6 / 7 / 8 /
9 / 10



100% Polyamide. Polyurethane coating on palm and fingertips. Gauge 13.

Backing Colour

- Handling of soiled objects

Seamless Knit:

- More comfort



EN-388
4 1 3 1

VE702PG



Grey

6 / 7 / 8 /
9 / 10



100% Polyester. Polyurethane coating on palm and fingertips. Gauge 13.



EN-388
4 1 2 1

HERCULE VV750



Black
9 / 10



Inside: 100% Acrylic Gauge 7. Outside: 100% Polyamide Gauge 13.
3/4 foam nitrile coating on palm, fingers and half back.

3/4 Coating:

- Full protection of the fingers against cold and water
- Long lifespan

Inside Acrylic Support:

- Excellent comfort, keeps hands warm in cold conditions

Outside Polyamide Support:

- High flexibility

Cold Protection



EN-388
3 2 3 X

EN-511
X
2
X

THRYM VV736



Light Blue
9 / 10 / 11



Inside: 100% Acrylic Gauge 10. Outside: 100% Polyamide Gauge 15.
Full Latex coating of the hand. Second foam latex coating on palm and fingers tips.

Scratch Acrylic support:

- Cold Protection
- Scratching: Excellent comfort, keep hands warm in cold conditions.

Full Coating:

- Full protection of the fingers against cold and water
- High flexibility

Very good cold and humidity protection



EN-388
2 3 4 2

EN-511
1
2
1

APOLLONIT VV734



Fluorescent
Yellow-Black
7 / 8 /
9 / 10 / 11



100% Polyamide/Spandex. Foam nitrile and TPU coating on palm and fingertips. Gauge 15.

TPU/Nitrile foam:

- Very soft coating, excellent dexterity
- Breathable coating, prevents perspiration build up

Fluorescent Support

- High visibility

Higher Abrasion level



EN-388
4 1 2 1 X

VE730OR



Yellow Orange
8 / 9 / 10



Polycotton. Rough latex coating on palm and fingertips. Gauge 10.



EN-388
2 2 4 2

CHEMSAFE PLUS VV836



Blue
9 / 10 / 11



Double PVC/nitrile coating on polyamide lining. Third rough PVC/nitrile coating on hand. Length: 30cm. Thickness: 1mm - 1.35mm on palm.

- Rough-textured hand: Excellent grip
- Nitrile/PVC triple coating: Good abrasion resistance
- Light and flexible
- 100% polyamide lining: Comfortable
- Gauge 18



EN-388
3 1 2 1 X

EN374-2

EN16523-1
TYPE B
K6 > 480mm
L4 > 120mm
M2 > 30mm
P6 > 480mm

PVC7335



Red
10



PVC on interlock cotton lining. Length: 35cm. Thickness: 0.90mm



EN-388
4 1 1 1

EN374-2

EN374-3

NI155



Blue
10



Nitrile on cotton jersey lining. Knitted wrist. Fully Coated.

Nitrile on jersey lining:

- Heat resistant
- Excellent performances in oily and greasy environments

Full protection of the hand:

- Back hand protection.



EN-388
4 1 1 1

CA615K



Red
10



High quality heat-resistant split leather (HR). Cuff with canvas lining. Kevlar® Technology sewn. American assembly. Length: 35cm.



EN-388
3 1 3 3

EN-407
4, 1, 3
X, 4, X

EN 12477
TYPE A



DS202RP



Grey-Blue
10



Cowhide split leather with cotton canvas lining.
Reinforcement on palm, thumb and index finger.
Canvas back with leather reinforcement.
Reinforced canvas cuff.



 **EN-388**
4223

TP169



White
7 / 9



Polycotton. PVC dots on palm.
Gauge 7.

NEW!!



 **EN-388**
123X

DT 215



White



M / L / XL / XXL

Non woven overall with elasticated hood. 100% SMS. Fastening with zip under flap. Elasticated round head, waist, cuffs and ankles. Individual pack.



EN 13034
TYPE 6

EN ISO
13982-1
TYPE 5

DT 117



White



Deltatek®5000

M / L / XL / XXL

Overall with elasticated hood. Non woven microporous laminate Deltatek®5000. Zip fastening under adhesive flap (top and bottom opening). Elasticated waist and ankles. Knitted wrist. Antistatic. Individual airtight pack.



EN 13034
TYPE 6-B

EN ISO
13982-1
TYPE 5-B

EN 14126

EN 1073-2
CLASS 1

EN 1149-5

- DELTATEK®5000
- The polyethylene film ensures greater resistance to chemical hazards and higher mechanical resistance (abrasion - tearing)
- Supports head movement for increased comfort
- Zip with self adhesive flap
- Elasticated cuffs
- Elasticated ankles
- Lint free
- Extra soft

DT 300



Yellow



M / L / XL / XXL

Overall with three-sided elasticated hood. Non woven Deltachem®. Zip fastening under double flap. Double elastic for thumb. Elasticated around the head, waist, cuffs and ankles. Individual airtight pack.



EN 14605
TYPE 3B
TYPE 4B

EN ISO
13982-1
TYPE 5B

EN 13034
TYPE 6B

EN 14126

EN 1073-2
CLASS 1

EN 1149-5

- DELTACHEM®
- SMS with double outer chemical barrier
- Supports head movement for increased comfort
- Lint free
- Decontamination
- Closure with double flap
- Double elastic for thumb
- Sealed seams
- Elasticated ankles

NORDLAND



Navy Blue

S / M / L /
XL / XXL
3XL



Polyurethane-coated Oxford polyester fabric.
Quilted polyester Taffeta lining.
Parka. Waterproof seams. Removable hood. Collar with polar lining for optimal comfort. Fastening with double zip under press stud storm flap. Adjustable waist and bottom with elastic drawstring. 7 pockets.

- Cold protection
- Internal storm cuff with cutaway Thumb for improve cold protection
- Fixed badge holder included
- Decorative reflective details



EN342
0.625 m² .KW (B)
X
X
X

ICEBERG



Navy Blue

S / M / L /
XL / XXL
3XL



Polyurethane-coated Oxford polyester fabric.
Quilted polyester Taffeta lining.
Warm Salopette. Waterproof seams. Adjustable waist with elastic drawstring. Adjustable braces. Preformed and reinforced knees. 5 Pockets.

- Cold protection
- Waterproof Zipped pockets
- Bottom of legs with storm flap
- Higher back protection



EN342
0.625 m² .KW (B)
X
X
X

PHVE2



Fluorescent
yellow-Navy
Blue

S / M / L /
XL / XXL
3XL



Twill 80% polyester 20% cotton 230 g/m².
Retro-reflective sewn bands.
Jacket. Elasticated cuffs. High visibility: Class 2 - Silver colour - Shoulder belt and parallel assembly. 2 pockets.



EN ISO 20471
CLASS 2

PHPA2



Fluorescent
yellow-Navy
Blue

S / M / L /
XL / XXL
3XL



Twill 80% polyester 20% cotton 230 g/m².
Retro-reflective sewn bands.
Trousers. Elasticated waist on both sides. High visibility: Class 2 - Silver colour
5 pockets including 1 ruler pocket.

- Internal kneepad pocket



EN ISO 20471
CLASS 2

M5SGI



Beige

S / M / L /
XL / XXL
3XL



Twill 65% Polyester 35% cotton 245g/m²
Stonewashed multipocket vest.
Zip fastening under bias.
12 pockets
• Flap back ventilation
• Fixed badge holder included

M5SPA



Beige

S / M / L /
XL / XXL
3XL



Twill 65% polyester 35% cotton 245g/m²
3 in 1 stonewashed trousers. Elasticated waist on both sides.
Preformed knees.
8 pockets including 1 ruler pocket.
• Reinforced crotch
• Tripple Seams
• Pockets for ruler and tools
• Convertible legs with zip
• Kneepad pockets

M2VE2



Grey-Orange
Navy blue -
Royal Blue

S / M / L /
XL / XXL
3XL



Twill 65% polyester 35% cotton 245g/m²
Jacket. Elasticated cuffs adjustable with Velcro. 5 pockets including 1 zipped and 1 inside.



M2PA2



Grey-Orange
Navy blue -
Royal Blue

S / M / L /
XL / XXL
3XL



Twill 65% polyester 35% cotton 245g/m²
Trousers. Elasticated waist on both sides. 7 pockets including 1 ruler pocket.





M2CO2



Grey-Orange
Navy blue -
Royal Blue

S / M / L /
XL / XXL
3XL



Twill 65% polyester 35% cotton 245g/m².
Overalls. Zip fastening under bias. Elasticated waist. Elasticated cuffs. 10 pockets including 1 on the sleeve and 1 ruler pocket.



M2CZ2



Grey-Orange
Navy blue -
Royal Blue
Green-Black

S / M / L /
XL / XXL
3XL



Twill 65% polyester 35% cotton 245g/m².
Overalls with 2 Zips. Elasticated waist.
10 pockets including 1 ruler pocket.

NEW!!



M6VES



Grey-Green
Grey-Orange
Navy blue -
Orange

S / M / L /
XL / XXL
3XL



Twill 65% polyester 35% cotton 235g/m².
Jacket. Front zip fastening with bias finishing.
Elasticated cuffs. 4 pockets



M6PAN



Grey-Green
Grey-Orange
Navy blue -
Orange

S / M / L /
XL / XXL
3XL



Twill 65% polyester 35% cotton 235g/m².
Trousers. Elasticated waist on both sides. 5 pockets including 1 ruler pocket.



M5SPA



Beige/Black

S / M / L /
XL / XXL
3XL



Canvas 60% Cotton 40%, 270g/m²
Yokes: Cordura® and Oxford polyester.
Preformed knees.
8 pockets including 1 ruler pocket.

NEW!!



GOTEBORG



Navy Blue

S / M / L /
XL / XXL
3XL



PVC-coated Twill polyester fabric.
Top lining: Wadded polyester polar fleece.
Bottom lining: Wadded polyester Taffeta.
Parka. Waterproof seams. Collar with polar lining for optimal comfort.
Fastening with zip under velcro storm flap. Removable hood.
Adjustable bottom of garment with elastic drawstring. 5 pockets.

- Fixed badge holder included
- Rear vent for embroidery access
- No metallic part



EN 14058
33X
0.250 m² K/W
X

EN 343
3
1*

GILM3



Fluorescent
Yellow

L / XXL



Polyester mesh fabric.
Retro-reflective sewn bands.
Mesh vest. Fastening with velcro band.
High visibility: Class 2 - Silver colour - Shoulder Belt and Parallel assembly.



ANSI-ISEA 107
Not FR
CLASS 2
R

GILP4



Fluorescent
Yellow /
Fluorescent
Orange

L / XXL



Vest. Fastening with velcro band. High visibility:
Class 2 - Silver colour - Shoulder-belt assembly.
- Polyester fabric.
- Retro-reflective sewn bands.

NEW!!



EN-ISO 20471
CLASS 2



EN 400



Yellow
Navy Blue

M / L / XL / XXL



PVC-coated polyester fabric.
Rain jacket and trousers. Waterproof seams.
JACKET: Fastening with zip under storm flap. Fixed hood. Raglan sleeves. Adjustable cuffs with press-studs. 2 pockets. TROUSERS: Elasticated waist. Adjustable bottom of legs with press-studs. 2 hand slits.

- Ventilation back flap
- Underarm ventilation eyelets

NEW!!

CE



EN400LV



Fluorescent
yellow
Navy Blue

M / L / XL / XXL



PVC-coated polyester fabric.
Rain jacket and trousers. Waterproof seams. JACKET: Fastening with zip under storm flap. Fixed hood. Raglan sleeves. Adjustable cuffs with press-studs. 2 pockets. TROUSERS: Elasticated waist. Adjustable bottom of legs with press-studs. 2 hand slits.

CE



EN304



Green /
Yellow

M / L / XL / XXL



Rain jacket and trousers. Sealed seams. JACKET: Fixed Hood. Fastening with zip under press-studs flap. Raglan sleeves. Elasticated inside cuffs. 2 pockets. TROUSERS: Elasticated waist. Fly closed with press-studs. Adjustable bottom of legs with press-studs. 2 hand slits.

- Ventilation back flap
- Underarm ventilation eyelets
- PVC-coated polyester support
- Double sided coating

CE



KLEVER Safety Cutters

The safest tools for opening packages, boxes, cutting plastic, shrink wrap, banding strips or tape.



ALL KNIVES ON SALE NOW!!!

HAYALON®

TITAN JIM SHOCKEY
SIGNATURE SERIES

- * Rugged Military-grade polymer handle. * AUS-8 Cryo hardened straight back blade.
- * Liner-Lock Construction. * Removable pocket clip. * Piranta Safety Lock, Fits all Piranta style blades.



HAYALON®
EVOLVE

- This **Multi-Tool** Includes:
- 6 additional 60A Blades.
 - 2 Evolve Utility Saw blades. • Folding gut hook.
 - Locking bit driver fits standard 1/4" bits.
 - Phillips/Flathead combo bit and storage for 2 additional bits.
 - Pliers, wire strippers, wire cutters.
 - Carabineer spring clip. • Nylon zipper holster.



HAYALON®
EXTRAS

Blade Remover



Blade Holder



Gut Hook Blade




Evolve Utility Saw Blades



HAYALON®
FORGE

- * Rubberized handle.
- * More advanced tread.
- * Larger finger guard.

Include 6 additional
60A blades and
a nylon holster



ALL KNIVES ON SALE NOW!!!

Baracuta Range

- * Rubber Grip Inserts.
- * Ambidextrous Thumb Studs.
- * Open Back for easy cleaning.
- * Liner-Lock Construction.
- * Nylon Holster with removable holster clip.



Baracuta Z

Rugged Black Zytel Handle.
Includes 5 Additional Stainless Steel Blades.

Baracuta Blaze

Micro-Honed Japanese Stainless Steel Blade.
Lightweight Zytel Handle in Bright Orange.
Includes 5 Additional Stainless Steel Blades.

Piranta Range

- * Ambidextrous Thumb Studs.
- * Open Back for easy cleaning.
- * Liner-Lock Construction.
- * Nylon Holster with removable holster clip.

Piranta Original



Includes 12 Additional Stainless Steel Blades.
Bead-Blasted.
Stainless Steel handle.



Piranta Z

Super Strong Zytel Handle.
Includes 12 Additional Stainless Steel Blades.



Piranta Torch Red

Rugged Alloy Handle.
Includes 12 Additional Stainless Steel Blades.



Piranta Camo



Piranta Pink



Piranta Edge

Includes 12 Additional Stainless Steel Blades.
Rugged Stain Resistant ABS Plastic Handle.

Replacement Blades



Packet of 10 Blades

HAYALON[®] HYDRA


- * 7 Styles of replaceable blades.
- * Open Back for easy cleaning.
- * Liner-Lock Construction.
- * Piranta safety lock.
- * Fits all Havalon Blades.



Set Includes:

- * 3 additional Baracuta blades.
- * 12 additional Piranta blades.
- * Zipper Carrying case.





Shooting Sports





Elvex® Global Reach

For more than 35 years ELVEX® has been serving the PPE needs of companies and individuals worldwide. Over those years we have built a strong global distribution footprint to make sure that wherever PPE needs exist, we can deliver quality products when and where you need them.

Why Elvex®

Easy to Work With - Customers repeatedly tell us we are “easy to work with” — a comment we like to hear, because it speaks to the way we like to do business.

Your call is answered personally - During business hours you will be greeted by a member of our customer service team, not an automated phone system. After a while, we may even recognize your voice!

No red tape here - If you have a special request or an order that's a bit out-of-the-ordinary, don't worry. You'll get a quick response, often by just “holding” while we walk down the hall and get your answer on the spot.